

72 Hours Build Product Donations web application

[Home](#)[Donasi](#)[Cara Kerja Kami](#)[Gallery](#)[Donatur](#)[Hubungi Kami](#)[Login](#)

Daftar Donasi

Berikut ini adalah daftar saudara-saudara kita yang memerlukan bantuan dari kita.
Ayo bantu mereka.



SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

[Lihat Kebutuhan](#)

Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

[Lihat Kebutuhan](#)

Korban Banjir Kendal

Kendal memanggil!! Korban banjir butuh bantuan Anda untuk pulih kembali.

[Lihat Kebutuhan](#)

With

Html+Css+Javascript+PHP+Mysql

Created By: Onesinus Saut Parulian

2019

Preface

I thank to God because of His Love and Kindness I can create this book titled “7 Days Build our web application”

I also thank to people who have supported when this book is created

I create this book in very sleepy conditions because just sleep at about 2 hours when I struggle to build this web application in under a week. ☺

I realize about the deficiency of this book, therefore I open my mind for suggestion and input for the better

I hope this book can help all of you to learn web programming (in this case PHP) with the simplest way and hopefully this book can helpful for your life in your job or in your study, etc

Hopefully this book is easy to understand.

Jakarta, Feb 2019

Onesinus Saut Parulian

089626105445 / onesinus231@gmail.com

Table of Contents

Preface	ii
Table of Contents	iii
Introduction.....	1
CHAPTER 1: Preparation.....	2
1.1 Folder Structure	2
1.2 Download equipment	4
1.3 Database Structure	5
CHAPTER 2 : Let's Make Code.....	10
1.1 Database Connection.....	10
2.1 Header	11
3.1 Set Active Page.....	17
4.1 Section 1 in main page	25
5.1 Section 2 in main page	32
6.1 Section 3 in main page	35
7.1 Section 4 in main page	39
8.1 Footer in main page.....	41
9.1 Create the website responsive with any device.....	65
10.1 Donation Page	72
11.1 Cara Kerja Kami page	95
12.1 Gallery page	97
13.1 Donatur page.....	99
14.1 Hubungi kami page.....	103
CHAPTER 3: Admin Panel	105
About The Author	157
Bibliography	158

Introduction

For beginner it's not easy to build website application when they are even don't know where they should start to write code and implement their ideas.

In this book I will try to guide in a simplest and in a structured way. Keep in mind that this way will never works without your effort also.

I hope you follow all instructions in this book, and also do it your self, so in the end of this book, you can get benefits by following the whole part of this book. Also you will get the concept on how to build the web application, so in the next you can do more than just it.

In this book we will use

Front End Tools

- ✓ Html + Css + Javascript
- ✓ Bootstrap + jQuery

Back End Tools

- ✓ PHP (pure/native)

Database

- ✓ MySql

Template

- ✓ Start Bootstrap Template

Make sure you've installed **Xampp** or another packages depending on your operating system in your computer as web server and PHP+MYSQL requirement.

Need a little bit knowledge about programming such as html, css, javascript, sql but don't worry just follow every instructions in this book, you can do it under **72 Hours!**

CHAPTER 1: Preparation

1.1 Folder Structure

The first thing we need to do when we want to build an website application is the structure of folder, folder structure have no any rules, its free to create our own structure folder, in this case we just create simple folder structure so we don't need to think too much about folder, just focus to code and how to build our application

Here is the structure of folder of this application

ProductDonations

admin

config

css

img

...

img






js

...

Create the folder structure so the main folder of project is **ProductDonations** and has admin folder to provide administrator page in our application, then we have config folder to put our configuration in our application such as connection into database, getting data function, etc

Also we have css, img, and js folder to store our css file, images, and javascript file, so our folder structure must be like this

› xampp › htdocs › ProductDonations ›

Name	Date modified	Type
 admin	2019-02-11 12:45 ...	File folder
 config	2019-02-11 12:45 ...	File folder
 css	2019-02-11 12:46 ...	File folder
 img	2019-02-11 12:46 ...	File folder
 js	2019-02-11 12:47 ...	File folder

1.2 Download equipment

All files we need in this project such as images, css, and javascript is in this link

Images:

/img:

<https://drive.google.com/drive/folders/13CJuo918NwwTGnOwu738dQPpgpunqkYS>

/css/img:

<https://drive.google.com/open?id=1AuH1gUOwRVZagri4BuYWxp9djBQU-4Ot>

1.3 Database Structure

Database Name: **product_donations**

```
CREATE DATABASE `product_donations`;
```

Here is database structure for this project [*Run Every scripts bellow in database product doations*]

❖ Table user

```
CREATE TABLE `m_user` (  
    `id` INT(11) NOT NULL AUTO_INCREMENT,  
    `username` VARCHAR(125) NULL DEFAULT NULL,  
    `password` VARCHAR(1024) NULL DEFAULT NULL,  
    `role` INT(1) NULL DEFAULT NULL,  
    PRIMARY KEY (`id`)  
)  
  
COLLATE='latin1_swedish_ci'  
  
ENGINE=InnoDB  
  
AUTO_INCREMENT=3;  
  
INSERT INTO `m_user` (`username`, `password`, `role`) VALUES ('admin',  
    '$2y$10$FeG8w9IIYxMny4UITvu2KOS0bJv9/8EDIwVj8zv9.EFMVICQFosR6',  
    1);  
  
INSERT INTO `m_user` (`username`, `password`, `role`) VALUES ('ngo',  
    '$2y$10$h/ex7NYvdKuZvZ0runJQ6.XWFuQ1oSuWqm4jATef6H9c2cCf7.z0y',  
    2);
```

❖ Table product

```
CREATE TABLE `m_products` (  
    `id` INT(11) NOT NULL AUTO_INCREMENT,  
    `name` VARCHAR(100) NULL DEFAULT NULL,  
    `picture` VARCHAR(300) NULL DEFAULT NULL,  
    `price` DECIMAL(16,2) NULL DEFAULT NULL,  
    PRIMARY KEY (`id`)  
)  
  
COLLATE='latin1_swedish_ci'  
  
ENGINE=InnoDB  
  
AUTO_INCREMENT=13;  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Buku Tulis  
SINAR DUNIA / SIDU 10x38 Lembar', 'buku tulis.jpg', 22400.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Whiteboard  
Magnet SAKANA 90 x 180 cm', 'Papan tulis.jpg', 712500.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Spidol  
Snowman White Board Maker', 'whiteboard.jpg', 8800.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('SEMEN  
GRESIK 40 KG 1 DO 200 ZAK', 'semen gresik.png', 42000.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Karpets Masjid  
Al Imam Ukuran 120 x 600 Hijau 28005', 'Karpets Masjid.jpg', 2250000.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Sandal / Sandal  
Jepit Masjid Mushola Wudhu Wakaf No 1', 'sandal masjid.jpg', 9000.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Indomie 1 box  
40 goreng', 'indomie.jpg', 100000.00);  
  
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Selimut Hitam  
Putih / Selimut Salur', 'selimut.jpg', 27000.00);
```

```
INSERT INTO `m_products` (`name`, `picture`, `price`) VALUES ('Terpal Plastik Jahit Biru 3 x 4 Meter', 'terpal.jpg', 66000.00);
```

❖ Table donations

```
CREATE TABLE `t_donation` (  
  `id` INT(11) NOT NULL AUTO_INCREMENT,  
  `title` VARCHAR(250) NULL DEFAULT NULL,  
  `description` VARCHAR(5012) NULL DEFAULT NULL,  
  `picture` VARCHAR(300) NULL DEFAULT NULL,  
  `created` DATETIME NULL DEFAULT NULL,  
  `due_date` DATETIME NULL DEFAULT NULL,  
  `status` VARCHAR(50) NULL DEFAULT 'onprogress',  
  PRIMARY KEY (`id`)  
)  
COLLATE='latin1_swedish_ci'  
ENGINE=InnoDB  
AUTO_INCREMENT=50;
```

```
INSERT INTO `t_donation` (`title`, `description`, `picture`, `created`, `due_date`,  
`status`) VALUES ('SD Ambon 1 ', 'Bantu anak-anak SD Ambon 1 menuntut ilmu,  
menggapai mimpi mereka. \r\nSekolah mereka saat ini rusak dan membutuhkan  
uluranmu. ', '0c308094-d00c-4543-b82d-4d479d065c39.jpg', '2019-02-10 06:52:49',  
'2019-10-01 00:00:00', 'onprogress');
```

```
INSERT INTO `t_donation` (`title`, `description`, `picture`, `created`, `due_date`,  
`status`) VALUES ('Masjid Asy-Syifa Alor', 'Sudah 64 tahun masjid di pelosok NTT  
ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak  
layak.', 'masjid alor.jpg', '2019-02-10 07:02:20', '2019-06-02 00:00:00', 'onprogress');
```

```
INSERT INTO `t_donation` (`title`, `description`, `picture`, `created`, `due_date`,  
`status`) VALUES ('Korban Banjir Kendal', 'Kendal memanggil! Korban banjir butuh  
bantuan Anda untuk pulih kembali. ', 'banjir kendal.jpg', '2019-02-10 07:05:16',  
'2019-12-02 00:00:00', 'onprogress');
```

❖ Table donation_history

```
CREATE TABLE `t_donation_history` (  
  `id` INT(11) NOT NULL AUTO_INCREMENT,  
  `username` VARCHAR(100) NULL DEFAULT NULL,  
  `t_donation_needs_id` INT(11) NULL DEFAULT NULL,  
  `qty` INT(11) NULL DEFAULT NULL,  
  `price` DECIMAL(16,2) NULL DEFAULT NULL,  
  `total` DECIMAL(16,2) NULL DEFAULT NULL,  
  `created` DATETIME NULL DEFAULT NULL,  
  PRIMARY KEY (`id`)  
)  
COLLATE='latin1_swedish_ci'  
ENGINE=InnoDB  
AUTO_INCREMENT=1;
```

❖ Table donation_needs

```
CREATE TABLE `t_donation_needs` (  
  `id` INT(11) NOT NULL AUTO_INCREMENT,  
  `t_donation_id` INT(11) NULL DEFAULT NULL,  
  `product_id` INT(11) NULL DEFAULT NULL,  
  `qty_need` DECIMAL(16,0) NULL DEFAULT NULL,  
  `qty_donated` DECIMAL(16,0) NULL DEFAULT '0',  
  PRIMARY KEY (`id`),  
  UNIQUE INDEX `uniq` (`product_id`, `t_donation_id`)  
)  
COLLATE='latin1_swedish_ci'  
ENGINE=InnoDB  
AUTO_INCREMENT=143;  
  
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,  
`qty_donated`) VALUES (50, 13, 100, 0);  
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,  
`qty_donated`) VALUES (50, 14, 5, 0);  
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,  
`qty_donated`) VALUES (50, 15, 30, 0);  
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,  
`qty_donated`) VALUES (51, 16, 10, 0);
```

```

INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,
`qty_donated`) VALUES (51, 17, 1, 0);
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,
`qty_donated`) VALUES (51, 18, 1, 0);
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,
`qty_donated`) VALUES (52, 19, 1, 0);
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,
`qty_donated`) VALUES (52, 20, 1, 0);
INSERT INTO `t_donation_needs` (`t_donation_id`, `product_id`, `qty_need`,
`qty_donated`) VALUES (52, 21, 1, 0);

```

❖ Trigger t_donation_history_after_insert

```

DELIMITER //
CREATE TRIGGER `t_donation_history_after_insert` AFTER INSERT ON
`t_donation_history` FOR EACH ROW BEGIN
    UPDATE t_donation_needs SET qty_donated = qty_donated + NEW.qty
    WHERE id = NEW.t_donation_needs_id;
END//
DELIMITER ;

```

CHAPTER 2 : Let's Make Code

1.1 Database Connection

Create file in **config** directory and set **koneksi.php** as the file's name

koneksi.php	2019-02-09 10:07 ...	PHP File	1 KB
-------------	----------------------	----------	------

And write this code inside koneksi.php

```
<?php
    date_default_timezone_set('Asia/Jakarta'); // set timezone

    $konek = mysqli_connect("localhost", "root", "", "product_donations");

    if (!$konek){


        die("Error!" . mysqli_connect_error($konek));

    }


?>
```

*Server(localhost), user(root), password(“”) configurations is depending on your mysql configuration

2.1 Header



To build that front page create **index.php** file in main folder (**ProductDonations**) folder



Then write this code inside index.php

```
<?php
    include "config/pageActive.php";
?>

<!DOCTYPE html>

<html lang="en">
```

```

<head>

  <meta charset="UTF-8">

  <meta name="viewport" content="width=device-width, initial-scale=1.0">

  <meta http-equiv="X-UA-Compatible" content="ie=edge">

  <title>Product Donations</title>

  <link rel='shortcut icon' type='image/x-icon' href='favicon.ico' />


  <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/css/bootstrap.min.css"
integrity="sha384-
GJzZqFGwb1QTTN6wy59ffF1BuGJpLSa9DkKMP0DgiMDm4iYMj70gZWKYbI706tWS"
crossorigin="anonymous">

  <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.1/css/all.css"
integrity="sha384-
fNmOCqBTIWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

  <link rel="stylesheet" href="//code.jquery.com/ui/1.12.1/themes/smoothness/jquery-ui.css">

  <link rel="stylesheet" href="css/style.css">

  <link rel="stylesheet" href="css/payment_gateway.css">

  <link rel="stylesheet" href="//cdn.datatables.net/1.10.19/css/jquery.dataTables.min.css">

</head>

<body>

  <header>

    <nav class="navbar navbar-expand-lg navbar-light">

      <a href="index.php" class="navbar-brand ml-3">Product<span style="color:
lightgreen">Donations</span></a>

      <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarMenu" aria-controls="navbarMenu" aria-expanded="false" aria-label="Toggle
Navigation">

```



```

        <span class="navbar-toggler-icon"></span>

</button>

<div class="collapse navbar-collapse"></div>

<div class="collapse navbar-collapse" id="navbarMenu">

    <ul class="navbar-nav mr-auto">

        <li class="nav-item <?php echo $homeActive; ?> ">

            <a href="index.php" class="nav-link">Home</a>

        </li>

        <li class="nav-item <?php echo $donationActive; ?>">

            <a href="index.php?page=donation" class="nav-link">Donasi</a>

        </li>

        <li class="nav-item <?php echo $eventsActive; ?>">

            <a href="index.php?page=carakerjakami" class="nav-link">Cara Kerja Kami</a>

        </li>

        <li class="nav-item <?php echo $galleryActive; ?>">

            <a href="index.php?page=gallery" class="nav-link">Gallery</a>

        </li>

        <li class="nav-item <?php echo $DonatedActive; ?>">

            <a href="index.php?page=donated" class="nav-link">Donatur</a>

        </li>

        <li class="nav-item <?php echo $contactusActive; ?>">

            <a href="index.php?page=contact_us" class="nav-link">Hubungi Kami</a>

        </li>

    </ul>

```

```

<a href="admin/login.php" class=" my-2 my-lg-0">

    <button class="btn menu-right-btn border" type="submit">

        Login

    </button>

</a>

</div>

</nav>

</header>

<main>

<?php

    if(!empty($page)):

        include $page.".php";

    ?>

<?php else: ?>

    <div class="container-fluid p-0">

        <div class="site-content">

            <div class="d-flex justify-content-center">

                <div class="d-flex flex-column">

                    <h1 class="site-title">KitaMau Products Donation</h1>

                    <p class="site-desc">

                        Berbagi dengan memberikan sesuai keperluan mereka ditempat yang TEPAT
                        dan diwaktu yang TEPAT

                    </p>

```

```

        <div class="d-flex flexrow">

            <input type="button" value="List Donations" class="btn site-btn1 px-4 py-3
mr-4 btn-dark" id="listDonation" />

            <input type="button" value="List Donated" class="btn site-btn2 px-4 py-3
mr-4 btn-light" id="listDonated" />

        </div>

    </div>

</div>

</div>

</div>

</div>

<?php endif; ?>

</main>

<script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

<script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.6/umd/popper.min.js"
integrity="sha384-
wHAiFfRIMFy6i5SRaxvfOCifBUQy1xHdJ/yoi7FRNXMRBu5WHdZYu1hA6ZOblgut"
crossorigin="anonymous"></script>

<script src="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/js/bootstrap.min.js"
integrity="sha384-
B0UglyR+jN6CkvvICOB2joaf5I4l3gm9GU6Hc1og6Ls7i6U/mkkaduKaBhlAXv9k"
crossorigin="anonymous"></script>

<script src="https://unpkg.com/scrollreveal@4.0.5/dist/scrollreveal.js"></script>

<script src="//code.jquery.com/jquery-1.12.4.js"></script>

<script src="//code.jquery.com/ui/1.12.1/jquery-ui.js"></script>

<script src="js/main.js"></script>

```

```


<script src="//cdn.datatables.net/1.10.19/js/jquery.dataTables.min.js"></script>
<script>
    var sr = ScrollReveal({ duration: 1000 });
    sr.reveal('.site-content .d-flex');
    sr.reveal('.section-1 .card');
    sr.reveal('.section-2 .d-flex');
    sr.reveal('.section-3 .col-md-4');
    sr.reveal('.section-4 .col-md-7, .col-md-5');
</script>
</body>
</html>
<div id="dialog" title="List Donation">
    <p>Anda ingin melihat daftar donasi?</p>
</div>
<div id="dialogDonate" title="List Donasi yang telah selesai">
    <p>Anda ingin melihat daftar donasi yang telah tercapai?</p>
</div>



```

After you write above code, take a minutes to get a coffee ☺

3.1 Set Active Page

Now write file inside **config** folder set file's name **pageActive.php**



› xampp › htdocs › ProductDonations › config			
Name	Date modified	Type	Size
 koneksi.php	2019-02-11 6:48 PM	PHP File	1 KB
 pageActive.php	2019-02-10 6:24 AM	PHP File	1 KB

Write this code inside pageActive file

```
<?php
```

```
$page = isset($_GET['page'])?$_GET['page']:"";
```

```
$homeActive = $donationActive = $eventsActive = $galleryActive = $DonatedActive =  
$contactusActive = "";
```

```
if(in_array($page, array("donation","donation_detail","bantu"))){
```

```
    $donationActive = "active";
```

```
}elseif(in_array($page, array("events", "carakerjakami"))){
```

```
    $eventsActive = "active";
```

```
}
```

```
elseif($page == "gallery"){
```

```
    $galleryActive = "active";
```

```
}
```

```
elseif($page == "donated"){
```

```
    $DonatedActive = "active";
```

```
}
```

```
else if($page == "contact_us"){
```

```
    $contactusActive = "active";
```

```
}
```

```
else{  
    $homeActive = "active";  
}  
?>
```

The code above is set color [green] in this case to active menu

And now we need to load our custom css to make our page more beautiful

Create **style.css** file inside **css** file folder and write this code

```
@import  
url('https://fonts.googleapis.com/css?family=Lato|Pacifico|Righteous|Roboto+Condensed|Ubuntu  

```

```
body{  
    padding: 0%;  
    margin: 0%;  
    font-family: 'Lato';  
}
```

```
.navbar-brand{  
    font-family: 'Pacifico';  
    font-size: 35px;  
    color: lightcoral !important;  
}
```

```
.nav-link{  
    font-size: 16px;
```

```
margin: 15px;
color: black !important;
font-family: 'Roboto Condensed';
}
```

```
.nav-link:hover{
    color: lightgreen !important;
}
```

```
.active .nav-link{
    color: lightgreen !important;
}
```

```
.menu-right-btn{
    padding: 13px 46px;
    margin-right: 4%;
    background-color: transparent;
    transition: all 300ms ease-in;
}
```

```
.menu-right-btn:hover{
    color: white;
    background-color: lightgreen;
}
```

```
/* Style main page */  
  
.site-content{  
  
    background-image: url('img/pexels-1.jpg');  
  
    background-attachment: fixed;  
  
    background-size: cover;  
  
}
```

```
.site-title, .site-desc{  
  
    font-style: italic;  
  
    color: white;  
  
    font-family: 'Righteous';  
  
    background-color: transparent;  
  
}
```

```
.site-title{  
  
    margin-top: 30%;  
  
    margin-bottom: 6%;  
  
    font-size: 50px;  
  
}
```

```
.site-desc{  
  
    font-size: 14px;  
  
}
```

```
.site-btn1{
```




```
margin-left: 20%;  
background-color: black;  
}
```

```
.site-btn1, .site-btn2{  
margin-top: 5%;  
margin-bottom: 20%;  
}
```


Don't forget to take the images we need in this link

<https://drive.google.com/open?id=1AuH1gUOwRVZagri4BuYWxp9djBQU-4Ot>

Download images there and put to **css/img** folder



And now create **main.js** in **js** folder



Write this code inside main.js

```
$(function() {  
    $("#dialog").dialog({
```

```

autoOpen : false,
modal : true,
show : "blind",
hide : "blind",
width: 350,
modal: true,
resizable: false,
draggable: false,
'buttons': {
    'Asyiapp': function(event) {
        window.location.href = "index.php?page=donation";
    },
    'Ndak Mau': function(event){
        $("#dialog").dialog("close");
    }
}
});

```

```

$("#dialogDonate").dialog({
    autoOpen : false,
    modal : true,
    show : "blind",
    hide : "blind",
    width: 350,
    modal: true,

```

```

resizable: false,
draggable: false,
'buttons': {
    'Asyiapp': function(event) {
        window.location.href = "index.php?page=donated";
    },
    'Ndak Mau': function(event){
        $("#dialogDonate").dialog("close");
    }
}
});

```

// Action button click

```

$("#listDonation").click(function() {
    $("#dialog").dialog("open");
    return false;
});

```

```

$("#listDonated").click(function() {
    $("#dialogDonate").dialog("open");
    return false;
});

```

```

$("[name='qty']").change(function(){

```


```
var price = $("[name='price']").val();  
var total = $(this).val() * price;  
  
$("[name='total']").val(total);  
})  
  
$('#historyAll').DataTable();  
});
```

4.1 Section 1 in main page

Now we will create section in main page after site header content

Dibutuhkan Segera & Waktu donasi yang hampir habis


Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.



Korban Banjir Kendal

Kendal memanggil!! Korban banjir butuh bantuan Anda untuk pulih kembali.


[Lihat Kebutuhan](#)



SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

[Lihat Kebutuhan](#)



Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

[Lihat Kebutuhan](#)

Add this code after `<div class="container-fluid p-0">` element

```
<div class="section-1">
```

```
<div class="container text-center">
```

```
<h1 class="heading-1">Dibutuhkan Segera</h1>
```

```
<h1 class="heading-2">& Waktu donasi yang hampir habis</h1>
```

```
<p class="para-1">
```

Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan.

Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit.

Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.

```
</p>
```

```

<div class="row justify-content-center text-center">

    <?php

        $dataDonation = get_data_donation_due_3();

        while($data = mysqli_fetch_assoc($dataDonation)):

            ?>

            <div class="col-md-4">

                <div class="card">

                    <center></center>

                    <div class="card-body">

                        <h4 class="card-title"><?php echo $data['title']; ?></h4>

                        <p class="card-text"><?php echo $data['description']; ?></p>

                        <a href="index.php?page=donation_detail&id=<?php echo $data['id'];
                        ?>">

                            <button type="button" class="btn btn-primary">Lihat
                            Kebutuhan</button>

                        </a>

                    </div>

                </div>

            </div>

        <?php endwhile; ?>

    </div>

</div>

</div>

```

So in index.php the element structure will be

```

<main>
  <?php
    if(!empty($page)):
      include $page.".php";
    ?>
    <?php else: ?>
      <div class="container-fluid p-0"> ...
    </div>

    <div class="section-1"> ...
    </div>

    <?php endif; ?>
</main>

```



Then in our **style.css** add this code in the last line

```
/* Section 1 start CSS */
```

```

.section-1 .heading-1{
  margin-top: 8%;
}

```

```

.section-1 .heading-2{
  margin-bottom: 5%;
  font-size: 39px;
}

```

```

.section-1 .para-1{
  width: 60%;
  margin-left: 20%;
  margin-bottom: 5%
}

```

```
}
```

```
.section-1 .card-text .para-1 {  
    color: rgba(0, 0, 0, 0.59)  
}
```

```
.section-1 {  
    margin-bottom: 8%;  
}
```

```
.card {  
    width: 20rem;  
}
```

Refresh index.php and **section 1** will be

Dibutuhkan Segera & Waktu donasi yang hampir habis




Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.

Fatal error

: Uncaught Error: Call to undefined function get_data_donation_due_3() in G:\xampp\htdocs\ProductDonations\index.php:94 Stack trace: #0 {main} thrown in G:\xampp\htdocs\ProductDonations\index.php on line 94

It's okay about the Fatal error, because we are not create code to show data yet from database

Create **getData.php** file in **config** folder

» xampp » htdocs » ProductDonations » config				
Name	Date modified	Type	Size	
 getData.php	2019-02-11 7:51 PM	PHP File	0 KB	
 koneksi.php	2019-02-11 6:48 PM	PHP File	1 KB	
 pageActive.php	2019-02-10 6:24 AM	PHP File	1 KB	

Then write this code inside getData.php file

```
<?php
```

```
include "config/koneksi.php";
```

```
function get_data_donation_due_3(){
```

```
    GLOBAL $konek;
```

```
    $get_data = mysqli_query($konek, "
```

```
        SELECT
```

```
            *
```

```
        FROM t_donation
```

```
        WHERE
```

```
            status = 'onprogress'
```

```
            order by due_date desc limit 3
```

```
    ");
```

```
    return $get_data;
```

```
}
```

```
?>
```

After that we need to load getData.php file in **index.php** with this code in first line

include 'config/getData.php'; so the index.php will be

```
index.php — ProductDonations x style.css — ProductDonations\css x
<?php
1 include "config/pageActive.php";
2 ... include 'config/getData.php';
3 ?>
4 <!DOCTYPE html>
5 <html lang="en">
6 <head>
```

Section 1 will be

Dibutuhkan Segera & Waktu donasi yang hampir habis

Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.

Image not loaded

Korban Banjir Kendal

Kendal memanggil!! Korban banjir butuh bantuan Anda untuk pulih kembali.

Lihat Kebutuhan

Image not loaded

SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

Lihat Kebutuhan

Image not loaded

Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

Lihat Kebutuhan

Image not load right? It's because we don't have any images in **img** folder that locate at main folder

Download images from this link

<https://drive.google.com/drive/folders/13CJuo918NwwTGnOwu738dQPpgpunqkYS>

Download all images and put to **img** folder



Now section 1 page will be

Dibutuhkan Segera & Waktu donasi yang hampir habis

Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.



Korban Banjir Kendal

Kendal memanggil!! Korban banjir butuh bantuan Anda untuk pulih kembali.

[Lihat Kebutuhan](#)

SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntun ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

[Lihat Kebutuhan](#)

Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

[Lihat Kebutuhan](#)

5.1 Section 2 in main page

Now we're going to create section-2 in our main page, add this code after end of section-1

```
<div class="section-2">

    <div class="container-fluid">

        <div class="d-flex justify-content-end">

            <div class="d-flex flex-column m-4">

                <h1 class="heading-1">Share & Prove your Love</h1>

                <p class="para">Bagikan dan buktikan rasa peduli anda agar semakin banyak
pendonasi</p>

                <input type="button" value="Share" class="btn btn-danger">

            </div>

        </div>

    </div>


</div>
```

So the index.php will be

```
<div class="section-1">■
</div> <!-- end div of section 1 -->

<div class="section-2">
    <div class="container-fluid">
        <div class="d-flex justify-content-end">
            <div class="d-flex flex-column m-4">
                <h1 class="heading-1">Share & Prove your Love</h1>
                <p class="para">Bagikan dan buktikan rasa peduli anda agar semakin banyak pendonasi</p>
                <input type="button" value="Share" class="btn btn-danger">
            </div>
        </div>
    </div>
</div>
```

The section-2 will be



In style.css add this code in last line

```
/* Section 2 start CSS */
```

```
.section-2 .container-fluid{
    background-image: url('img/love.jpg');
    background-size: cover;
    background-attachment: fixed;
}
```

```
.section-2 .heading-1{
    margin-top: 20%;
    margin-bottom: 4%;
    font-family: 'Righteous';
}
```

```
.section-2 .para{
    font-family: 'Ubuntu';
}
```

```


margin-bottom: 7%;
}

.section-2 .para, .section-2 .heading-1{
    color: whitesmoke;
    width: 80%;
}

.section-2 .btn{
    margin-bottom: 15%;
    width: 30%;
}

```

So the section-2 will be



6.1 Section 3 in main page

After section-2 in index.php file add this code

```
<div class="section-3">

    <div class="container">

        <div class="row">

            <div class="col-md-4">

                <div class="d-flex flex-row">

                    <i class="fas fa-user-shield fa-3x m-2"></i>

                    <div class="d-flex flex-column">

                        <h3 class="m-2">0+ Instansi</h3>

                        <p class="m-2">Sudah lebih dari 0 instansi terbantu berkat dukungan
anda sampai saat ini</p>

                    </div>

                </div>

            </div>

            <div class="col-md-4">

                <div class="d-flex flex-row">

                    <i class="fas fa-user fa-3x m-2"></i>

                    <div class="d-flex flex-column">

                        <h3 class="m-2">0+ Individu</h3>

                        <p class="m-2">Sudah lebih dari 0 orang terbantu berkat dukungan anda
sampai saat ini</p>

                    </div>

                </div>

            </div>

        </div>

    </div>

</div>
```

</div>

<div class="col-md-4">

<div class="d-flex flex-row">

<i class="fas fa-search fa-3x m-2"></i>

<div class="d-flex flex-column">

<?php

\$dataCount = get_data_count();

\$dataCount = mysqli_fetch_assoc(\$dataCount);

?>

<h3 class="m-2"><?php echo \$dataCount['jumlah']; ?>+ Donors</h3>

<p class="m-2">Sudah <?php echo \$dataCount['jumlah']; ?> menunggu
uluran tangan anda</p>

</div>

</div>

</div>

</div>

</div>

</div>


```

<div class="section-1">
</div> <!-- end div of section 1 -->

<div class="section-2">
</div>

<div class="section-3">
  <div class="container">
    <div class="row">
      <div class="col-md-4">
        <div class="d-flex flex-row">
          <i class="fas fa-user-shield fa-3x m-2"></i>
          <div class="d-flex flex-column">
            <h3 class="m-2">0+ Instansi</h3>
            <p class="m-2">Sudah lebih dari 0 instansi terbantu berkat dukungan anda sampai
            saat ini</p>
          </div>
        </div>
      </div>
      <div class="col-md-4">
        <div class="d-flex flex-row">
          <i class="fas fa-user fa-3x m-2"></i>
          <div class="d-flex flex-column">
            <h3 class="m-2">0+ Individu</h3>

```

Add this to style.css

```
/* Section 3 Start CSS */
```

```
.section-3{
```

```
  margin-top: 6%;
```

```
}
```

```
.section-3 i{
```

```
  color: lightgreen;
```

```
}
```


```
.section-3 p{
```

```
  color: rgba(0, 0, 0, 0.59);
```

```
}
```

Add this PHP function to getData.php file


```
function get_data_count(){  
    GLOBAL $koneksi;  
    $get_data = mysqli_query($koneksi, "  
        SELECT  
        count(*) jumlah  
        FROM t_donation  
        WHERE  
        status = 'done'  
    ");  
  
    return $get_data;  
}
```



The screenshot shows a code editor with three tabs: 'index.php — ProductDonations', 'style.css — ProductDonations/css', and 'getData.php — ProductDonations/config'. The 'getData.php' tab is active, showing PHP code. Lines 11-17 contain a query for 'onprogress' status. Lines 19-30 show the new 'get_data_count()' function being added, which is highlighted with a red box. Line 31 shows the cursor at the end of the file.

```
11         status = 'onprogress'  
12         order by due_date desc limit 3  
13     ");  
14  
15  
16     return $get_data;  
17 }  
18  
19     function get_data_count(){  
20         GLOBAL $koneksi;  
21         $get_data = mysqli_query($koneksi, "  
22             SELECT  
23             count(*) jumlah  
24             FROM t_donation  
25             WHERE  
26             status = 'done'  
27         ");  
28  
29         return $get_data;  
30     }  
31 ?>
```

Section-3 will be



7.1 Section 4 in main page

In Index.php after section-3 div

```
<div class="section-4 bg-dark">
```

```
    <div class="container">
```

```
        <div class="row">
```

```
            <div class="col-md-7">
```

```
                
```

```
            </div>
```

```
        <div class="col-md-5">
```

```
            <h1 class="text-white">Bingung mulai dari mana?</h1>
```

```
            <a href="index.php?page=carakerjakami">Klik disini untuk panduan</a>
```

```
            <p class="para-1">
```

Setelah anda membuat akun anda, anda dapat melihat daftar donasi, yang anda dapat berikan sesuai kebutuhan mereka yang anda dapat bantu.

```
        <br/><br/>
```

Anda juga dapat melihat berdasarkan lokasi terdekat dengan anda, donasi yang darurat dan yang waktunya hampir habis tetapi belum tercapai.

```
    </p>
```

```
    </div>
```

```
    </div>
```

```
    </div>
```

```
</div>
```

In style.css


```
/* Section 4 Start CSS */
```

```
.section-4{  
    margin-top: 8%;  
}
```

```
.section-4 .col-md-7, .col-md-5{  
    margin-top: 10%;  
    margin-bottom: 10%;  
}
```

```
.section-4 a{  
    color: lightgreen;  
    font-size: 40px;  
}
```

```
.section-4 .para-1{  
    color: white;  
    font-family: 'Roboto Condensed';  
    margin-top: 7%;  
    font-size: 22px;  
}
```



Bingung mulai dari mana?

[Klik disini untuk panduan](#)

Setelah anda membuat akun anda, anda dapat melihat daftar donasi, yang anda dapat berikan sesuai kebutuhan mereka yang anda dapat bantu.

Anda juga dapat melihat berdasarkan lokasi terdekat dengan anda, donasi yang darurat dan yang waktunya hampir habis tetapi belum tercapai.

8.1 Footer in main page

After four section we will create our footer

Write this code after **<main>** tag

```
<footer>
```

```
  <div class="section-5 text-center">
```

```
    <h4 style="margin-top: 5%;">Dapatkan kabar tentang orang-orang yang membutuhkan donasi</h4>
```

```
    <h4 class="my-4">Jika anda bersedia</h4>
```

```
    <div class="form-inline justify-content-center">
```

```
      <input type="text" name="email" placeholder="Email" size="40" class="form-control px-4 py-2" submit="">
```

```
      <input type="button" value="Get Updates" class="btn btn-danger px-4 py-2" onclick="location.href='index.php';">
```

```
    </div>
```

```
  <div class="social" style="margin: 5%;">
```

```

<div class="d-flex d-flex-row justify-content-center">
    <i class="fab fa-facebook-f m-2"></i>
    <i class="fab fa-twitter m-2"></i>
    <i class="fab fa-instagram m-2"></i>
    <i class="fab fa-youtube m-2"></i>
</div>
</div>

<div class="position-relative">
    <div class="float-sm-right">
        <a href="#" class="o-scroll-up static" title="back to top">
            <span class="o-scroll-up-text"></span>
            </img>
            <span class="o-scroll-up-icon" aria-hidden="true"></span><br>
        </a>
    </div>
</div>

</div>

<hr/>

<marquee behavior="" direction=""><h5 style="color: lightgreen">Iya Oke Siyap Team
&copy; 2019 </h5></marquee>

</div>

</footer>

```

In style.css

```
/* Footer */
```

```
.social i{  
    color: green;  
    font-size: 20px;  
}
```

The footer will be

Dapatkan kabar tentang orang-orang yang membutuhkan donasi

Jika anda bersedia

Email


Get Updates



Iya Oke Siyap Team © 2019



We're done with main page



Dibutuhkan Segera & Waktu donasi yang hampir habis

Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.



Korban Banjir Kendal

Kendal memanggil! Korban banjir butuh bantuan Anda untuk pulih kembali.

[Lihat Kebutuhan](#)


SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

[Lihat Kebutuhan](#)

Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

[Lihat Kebutuhan](#)

Share & Prove your Love

Bagikan dan buktikan rasa peduli anda agar semakin banyak pendonasi

[Share](#)

0+ Instansi

Sudah lebih dari 0 Instansi terbantu berkat dukungan anda sampai saat ini




0+ Individu

Sudah lebih dari 0 orang terbantu berkat dukungan anda sampai saat ini



0+ Donors

Sudah 0 menunggu uluran tangan anda



Bingung mulai dari mana?

[Klik disini untuk panduan](#)

Setelah anda membuat akun anda, anda dapat melihat daftar donasi, yang anda dapat berikan sesuai kebutuhan mereka yang anda dapat bantu.

Anda juga dapat melihat berdasarkan lokasi terdekat dengan anda, donasi yang darurat dan yang waktunya hampir habis tetapi belum tercapai.

Dapatkan kabar tentang orang-orang yang membutuhkan donasi

Jika anda bersedia

Email

[Get Updates](#)



Iya Oke Siyap Team © 2019



Full code of index.php

```
<?php

    include "config/pageActive.php";

    include 'config/getData.php';

?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="UTF-8">

    <meta name="viewport" content="width=device-width, initial-scale=1.0">

    <meta http-equiv="X-UA-Compatible" content="ie=edge">

    <title>Product Donations</title>

    <link rel='shortcut icon' type='image/x-icon' href='favicon.ico' />


    <link rel="stylesheet"
href="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/css/bootstrap.min.css"
integrity="sha384-
GJzZqFGwb1QTTN6wy59ffF1BuGJpLSa9DkKMP0DgiMDm4iYMj70gZWKYbI706tWS"
crossorigin="anonymous">

    <link rel="stylesheet" href="https://use.fontawesome.com/releases/v5.7.1/css/all.css"
integrity="sha384-
fnmOCqbTIWIlj8LyTjo7mOUStjsKC4pOpQbqyi7RrhN7udi9RwhKkMHpvLbHG9Sr"
crossorigin="anonymous">

    <link rel="stylesheet" href="//code.jquery.com/ui/1.12.1/themes/smoothness/jquery-ui.css">

    <link rel="stylesheet" href="css/style.css">

    <link rel="stylesheet" href="css/payment_gateway.css">

    <link rel="stylesheet" href="//cdn.datatables.net/1.10.19/css/jquery.dataTables.min.css">
```

```

</head>

<body>

    <header>

        <nav class="navbar navbar-expand-lg navbar-light">

            <a href="index.php" class="navbar-brand ml-3">Product<span style="color:
lightgreen">Donations</span></a>

            <button class="navbar-toggler" type="button" data-toggle="collapse" data-
target="#navbarMenu" aria-controls="navbarMenu" aria-expanded="false" aria-label="Toggle
Navigation">

                <span class="navbar-toggler-icon"></span>

            </button>

            <div class="collapse navbar-collapse"></div>

            <div class="collapse navbar-collapse" id="navbarMenu">

                <ul class="navbar-nav mr-auto">

                    <li class="nav-item <?php echo $homeActive; ?> ">

                        <a href="index.php" class="nav-link">Home</a>

                    </li>

                    <li class="nav-item <?php echo $donationActive; ?>">

                        <a href="index.php?page=donation" class="nav-link">Donasi</a>

                    </li>

                    <li class="nav-item <?php echo $eventsActive; ?>">

                        <a href="index.php?page=carakerjakami" class="nav-link">Cara Kerja Kami</a>

                    </li>

                    <li class="nav-item <?php echo $galleryActive; ?>">

                        <a href="index.php?page=gallery" class="nav-link">Gallery</a>

```

```

        </li>

        <li class="nav-item <?php echo $DonatedActive; ?>">
            <a href="index.php?page=donated" class="nav-link">Donatur</a>
        </li>

        <li class="nav-item <?php echo $contactusActive; ?>">
            <a href="index.php?page=contact_us" class="nav-link">Hubungi Kami</a>
        </li>
    </ul>

    <a href="admin/login.php" class=" my-2 my-lg-0">
        <button class="btn menu-right-btn border" type="submit">
            Login
        </button>
    </a>
</div>
</nav>
</header>

<main>
    <?php
        if(!empty($page)):
            include $page.".php";
        ?>
    <?php else: ?>
        <div class="container-fluid p-0">

```

```

<div class="site-content">

  <div class="d-flex justify-content-center">

    <div class="d-flex flex-column">

      <h1 class="site-title">KitaMau Products Donation</h1>

      <p class="site-desc">

        Berbagi dengan memberikan sesuai keperluan mereka ditempat yang TEPAT
        dan diwaktu yang TEPAT

      </p>

      <div class="d-flex flexrow">

        <input type="button" value="List Donations" class="btn site-btn1 px-4 py-3
        mr-4 btn-dark" id="listDonation" />

        <input type="button" value="List Donated" class="btn site-btn2 px-4 py-3
        mr-4 btn-light" id="listDonated" />

      </div>

    </div>

  </div>

</div>

</div>

</div>

</div>

<div class="section-1">

  <div class="container text-center">

    <h1 class="heading-1">Dibutuhkan Segera</h1>

    <h1 class="heading-2">& Waktu donasi yang hampir habis</h1>

    <p class="para-1">

      Inilah daftar donasi-donasi yang sifatnya urgent dan sangat dibutuhkan.

      Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal
      sedikit.
    
  
```

Ayo semakin banyak yang berdonasi semakin banyak yang terbantu.

</p>

<div class="row justify-content-center text-center">

<?php

\$dataDonation = get_data_donation_due_3();

while(\$data = mysqli_fetch_assoc(\$dataDonation)):

?>

<div class="col-md-4">

<div class="card">

<center></center>

<div class="card-body">

<h4 class="card-title"><?php echo \$data['title']; ?></h4>

<p class="card-text"><?php echo \$data['description']; ?></p>

<a href="index.php?page=donation_detail&id=<?php echo \$data['id']; ?>">

<button type="button" class="btn btn-primary">Lihat
Kebutuhan</button>

</div>

</div>

</div>

<?php endwhile; ?>

</div>

</div>

</div> <!-- end div of section 1 -->

```

<div class="section-2">
  <div class="container-fluid">
    <div class="d-flex justify-content-end">
      <div class="d-flex flex-column m-4">
        <h1 class="heading-1">Share & Prove your Love</h1>
        <p class="para">Bagikan dan buktikan rasa peduli anda agar semakin banyak
pendonasi</p>
        <input type="button" value="Share" class="btn btn-danger">
      </div>
    </div>
  </div>
</div>

<div class="section-3">
  <div class="container">
    <div class="row">

      <div class="col-md-4">
        <div class="d-flex flex-row">
          <i class="fas fa-user-shield fa-3x m-2"></i>
          <div class="d-flex flex-column">
            <h3 class="m-2">0+ Instansi</h3>
            <p class="m-2">Sudah lebih dari 0 instansi terbantu berkat dukungan
anda sampai saat ini</p>
          </div>
        </div>
      </div>
    </div>
  </div>

```

```

    </div>

</div>

<div class="col-md-4">

    <div class="d-flex flex-row">

        <i class="fas fa-user fa-3x m-2"></i>

        <div class="d-flex flex-column">

            <h3 class="m-2">0+ Individu</h3>

            <p class="m-2">Sudah lebih dari 0 orang terbantu berkat dukungan anda
sampai saat ini</p>

        </div>

    </div>

</div>

</div>

<div class="col-md-4">

    <div class="d-flex flex-row">

        <i class="fas fa-search fa-3x m-2"></i>

        <div class="d-flex flex-column">

            <?php

                $dataCount = get_data_count();

                $dataCount = mysqli_fetch_assoc($dataCount);

            ?>

            <h3 class="m-2"><?php echo $dataCount['jumlah']; ?>+ Donors</h3>

            <p class="m-2">Sudah <?php echo $dataCount['jumlah']; ?> menunggu
uluran tangan anda</p>

        </div>

    </div>

</div>

```


</div>

</div>

</div>

</div>

<div class="section-4 bg-dark">

<div class="container">

<div class="row">

<div class="col-md-7">

</div>

<div class="col-md-5">

<h1 class="text-white">Bingung mulai dari mana?</h1>

Klik disini untuk panduan

<p class="para-1">

Setelah anda membuat akun anda, anda dapat melihat daftar donasi, yang anda dapat berikan sesuai kebutuhan mereka yang anda dapat bantu.

Anda juga dapat melihat berdasarkan lokasi terdekat dengan anda, donasi yang darurat dan yang waktunya hampir habis tetapi belum tercapai.

</p>

</div>

</div>

</div>

</div>

```

<?php endif; ?>

</main>

<footer>

<div class="section-5 text-center">

    <h4 style="margin-top: 5%;">Dapatkan kabar tentang orang-orang yang membutuhkan
    donasi</h4>

    <h4 class="my-4">Jika anda bersedia</h4>

    <div class="form-inline justify-content-center">

        <input type="text" name="email" placeholder="Email" size="40" class="form-control
        px-4 py-2" submit="">

        <input type="button" value="Get Updates" class="btn btn-danger px-4 py-2"
        onclick="location.href='index.php';">

    </div>

</div>

<div class="social" style="margin: 5%;">

    <div class="d-flex d-flex-row justify-content-center">

        <i class="fab fa-facebook-f m-2"></i>

        <i class="fab fa-twitter m-2"></i>

        <i class="fab fa-instagram m-2"></i>

        <i class="fab fa-youtube m-2"></i>

    </div>

</div>

<div class="position-relative">

    <div class="float-sm-right">

        <a href="#" class="o-scroll-up static" title="back to top">

```

```

        <span class="o-scroll-up-text"></span>

        </img>

        <span class="o-scroll-up-icon" aria-hidden="true"></span><br>

    </a>

</div>

</div>

<hr/>

    <marquee behavior="" direction=""><h5 style="color: lightgreen">Iya Oke Siyap Team
&copy; 2019 </h5></marquee>

</div>

</footer>

    <script src="https://code.jquery.com/jquery-3.3.1.slim.min.js" integrity="sha384-
q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE1Pi6jizo"
crossorigin="anonymous"></script>

    <script src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.6/umd/popper.min.js"
integrity="sha384-
wHAiFfRlMFy6i5SRaxvfOCifBUQy1xHdJ/yoi7FRNXMRBu5WHdZYu1hA6ZOblgut"
crossorigin="anonymous"></script>

    <script src="https://stackpath.bootstrapcdn.com/bootstrap/4.2.1/js/bootstrap.min.js"
integrity="sha384-
B0UglyR+jN6CkvvICOB2joaf5I4l3gm9GU6Hc1og6Ls7i6U/mkkaduKaBhlAXv9k"
crossorigin="anonymous"></script>

    <script src="https://unpkg.com/scrollreveal@4.0.5/dist/scrollreveal.js"></script>

    <script src="//code.jquery.com/jquery-1.12.4.js"></script>

    <script src="//code.jquery.com/ui/1.12.1/jquery-ui.js"></script>

    <script src="js/main.js"></script>

```

```

<script src="//cdn.datatables.net/1.10.19/js/jquery.dataTables.min.js"></script>
<script>
    var sr = ScrollReveal({ duration: 1000 });
    sr.reveal('.site-content .d-flex');
    sr.reveal('.section-1 .card');
    sr.reveal('.section-2 .d-flex');
    sr.reveal('.section-3 .col-md-4');
    sr.reveal('.section-4 .col-md-7, .col-md-5');
</script>
</body>
</html>
<div id="dialog" title="List Donation">
    <p>Anda ingin melihat daftar donasi?</p>
</div>
<div id="dialogDonate" title="List Donasi yang telah selesai">
    <p>Anda ingin melihat daftar donasi yang telah tercapai?</p>
</div>

```

Full code of style.css

```

@import
url('https://fonts.googleapis.com/css?family=Lato|Pacifico|Righteous|Roboto+Condensed|Ubuntu
');

body{
    padding: 0%;

```

```
margin: 0%;  
font-family: 'Lato';  
}
```

```
.navbar-brand{  
    font-family: 'Pacifico';  
    font-size: 35px;  
    color: lightcoral !important;  
}
```

```
.nav-link{  
    font-size: 16px;  
    margin: 15px;  
    color: black !important;  
    font-family: 'Roboto Condensed';  
}
```

```
.nav-link:hover{  
    color: lightgreen !important;  
}
```

```
.active .nav-link{  
    color: lightgreen !important;  
}
```

```
.menu-right-btn{  
    padding: 13px 46px;  
    margin-right: 4%;  
    background-color: transparent;  
    transition: all 300ms ease-in;  
}
```

```
.menu-right-btn:hover{  
    color: white;  
    background-color: lightgreen;  
}
```

```
/* Style main page */
```

```
.site-content{  
    background-image: url('img/pexels-1.jpg');  
    background-attachment: fixed;  
    background-size: cover;  
}
```

```
.site-title, .site-desc{  
    font-style: italic;  
    color: white;  
    font-family: 'Righteous';  
    background-color: transparent;  
}
```

```
.site-title{  
    margin-top: 30%;  
    margin-bottom: 6%;  
    font-size: 50px;  
}
```

```
.site-desc{  
    font-size: 14px;  
}
```

```
.site-btn1{  
    margin-left: 20%;  
    background-color: black;  
}
```

```
.site-btn1, .site-btn2{  
    margin-top: 5%;  
    margin-bottom: 20%;  
}
```

```
/* Section 1 start CSS */
```

```
.section-1 .heading-1{  
    margin-top: 8%;  
}
```

```
.section-1 .heading-2{  
    margin-bottom: 5%;  
    font-size: 39px;  
}
```

```
.section-1 .para-1{  
    width: 60%;  
    margin-left: 20%;  
    margin-bottom: 5%  
}
```

```
.section-1 .card-text .para-1{  
    color: rgba(0, 0, 0, 0.59)  
}
```

```
.section-1{  
    margin-bottom: 8%;  
}
```

```
.card{  
    width: 20rem;  
}
```

```
/* Section 2 start CSS */  
.section-2 .container-fluid{
```



```
background-image: url('img/love.jpg');  
background-size: cover;  
background-attachment: fixed;  
}
```

```
.section-2 .heading-1{  
margin-top: 20%;  
margin-bottom: 4%;  
font-family: 'Righteous';  
}
```

```
.section-2 .para{  
font-family: 'Ubuntu';  
margin-bottom: 7%;  
}
```

```
.section-2 .para, .section-2 .heading-1{  
color: whitesmoke;  
width: 80%;  
}
```

```
.section-2 .btn{  
margin-bottom: 15%;  
width: 30%;  
}
```

```
/* Section 3 Start CSS */
```

```
.section-3{  
    margin-top: 6%;  
}
```

```
.section-3 i{  
    color: lightgreen;  
}
```

```
.section-3 p{  
    color: rgba(0, 0, 0, 0.59);  
}
```

```
/* Section 4 Start CSS */
```

```
.section-4{  
    margin-top: 8%;  
}
```

```
.section-4 .col-md-7, .col-md-5{  
    margin-top: 10%;  
    margin-bottom: 10%;  
}
```

```
.section-4 a{
```

```
color: lightgreen;

font-size: 40px;

}
```

```
.section-4 .para-1{

color: white;

font-family: 'Roboto Condensed';

margin-top: 7%;

font-size: 22px;

}
```

```
/* Footer */
```

```
.social i{

color: green;

font-size: 20px;

}
```

Full code of getData.php

```
<?php

include "config/koneksi.php";


function get_data_donation_due_3(){

    GLOBAL $konek;

    $get_data = mysqli_query($konek, "

        SELECT
```

```

        *

FROM t_donation

WHERE

status = 'onprogress'

order by due_date desc limit 3

");

return $get_data;

}

function get_data_count(){

GLOBAL $koneksi;

$get_data = mysqli_query($koneksi, "

SELECT

count(*) jumlah

FROM t_donation

WHERE

status = 'done'

");

return $get_data;

}

?>

```

9.1 Create the website responsive with any device

In standard resolutions the website may look good, but when the website is accessed from another device, such as mobile browser or tab the website may look a little messy.

So let's try to set the website responsiveness.

Inspect element in browser then set display to iPad Pro



We will see our main page in section-4 a little messy



So we need to adjust the display

In style.css add this code in the end of this file

```

/* Adjust Display depends resolutions */
@media screen and (max-width: 1024px){

    img{

        width: 100%;

    }

}

```

So the section-4 in resolution iPadPro(1024X1366) will be



In Ipad (768 x 1024)

Header

iPad ▼ 768 x 1024 50% ▼ Online ▼



Add this code to style.css

```
@media screen and (max-width: 768px){
```

```
  .site-content{  
    width: 767px;  
  }
```

```
  .section-1 .card{  
    width: 100%;  
  }
```

```
  .section-1 .card img{  
    width: 205px;
```

```

        height: 200px;
    }
}

```

Remove this **inline style** in index.php file

```

<div class="col-md-4">
  <div class="card">
    <center></center>
    <div class="card-body">
      <h4 class="card-title"><?php echo $data['title']; ?></h4>
      <p class="card-text"><?php echo $data['description']; ?></p>
      <a href="index.php?page=donation_detail&id=<?php echo $data['id']; ?>">
        <button type="button" class="btn btn-primary">Lihat Kebutuhan</button>
      </a>
    </div>
  </div>
</div>

```

So the card div will be

```

<div class="col-md-4">
  <div class="card">
    <center></center>
    <div class="card-body">
      <h4 class="card-title"><?php echo $data['title']; ?></h4>
      <p class="card-text"><?php echo $data['description']; ?></p>
      <a href="index.php?page=donation_detail&id=<?php echo $data['id']; ?>">
        <button type="button" class="btn btn-primary">Lihat Kebutuhan</button>
      </a>
    </div>
  </div>
</div>

```

Then in **style.css** add this code


```

.section-1 .card img{
    height: 200px;
    width: 320px;
}

```

**Better to centralize our css in external css rather than inline style, so your style will not conflict*

Now in iPad (768 x 1024) the display will be




Dibutuhkan Segera & Waktu donasi yang hampir habis

Ini lah daftar donasi-donasi yang s fatnya urgent dan sangat dibutuhkan. Dan juga donasi-donasi yang belum tercapai tetapi waktunya hanya tinggal sedikit. Ayo semakin banyak yang berdonas semakin banyak yang terbantu...



As the example above you can improve the responsiveness of the website, such as in iPhone X (375 x 812) resolution, etc



Dibutuhkan Segera
& Waktu donasi

This is just an example code how to handle in iPhone X (372 x 812)

```
@media screen and (max-width: 375px){
```


```
  .site-title,.site-desc{  
    width: 40%;  
  }
```

```
  .site-btn1,.site-btn2{  
    margin-left: -20px;  
    margin-bottom: 5%;  
  }
```

```
  .site-title{  
    margin-top: 5%;
```

}
}
So the display on iPhone X will be

iPhone X ▼ 375 x 812 66% ▼ Online ▼



Dibutuhkan Segera
& Waktu donasi
yang hampir habis

Inilah daftar donasi-donasi
yang sifatnya urgent dan

10.1 Donation Page

Create new file named **donations.php** and write this code

```
<?php

$searchValue = isset($_GET['search'])?$_GET['search']:"";

?>

<div class="section-1">

    <div class="container text-center">

        <h1 class="heading-1">Daftar Donasi</h1>

        <form action="" method="GET">

            <input type="hidden" name="page" value="donation">

            <input type="text" name="search" placeholder="Cari Donasi" class="form-control"
value="<?php echo $searchValue; ?>">

        </form>

        <p class="para-1">

            Berikut ini adalah daftar saudara-saudara kita yang memerlukan bantuan dari kita.
<br/>Ayo bantu mereka.

        </p>

        <div class="row justify-content-center text-center">

            <?php

                $dataDonation = get_data_donation($searchValue);

                while($data = mysqli_fetch_assoc($dataDonation)):

                    ?>

                    <div class="col-md-4">

                        <div class="card">
```

```



<div class="card-body">

    <h4 class="card-title">

        <?php echo $data['title']; ?>

    </h4>

    <p class="card-text">

        <?php echo $data['description']; ?>

    </p>

    <a href="index.php?page=donation_detail&id=<?php echo $data['id'];
?>"><button type="button" class="btn btn-primary">Lihat Kebutuhan</button></a>

</div>

</div>

</div> <!-- end col-md-4 -->

<?php endwhile; ?>

</div>

</div>

</div>

```

› xampp › htdocs › ProductDonations

Name	Date modified	Type	Size
admin	2019-02-11 6:41 PM	File folder	
config	2019-02-11 7:51 PM	File folder	
css	2019-02-11 7:22 PM	File folder	
img	2019-02-11 8:12 PM	File folder	
js	2019-02-11 7:39 PM	File folder	
donation.php	2019-02-10 7:33 AM	PHP File	2 KB
index.php	2019-02-14 12:44 ...	PHP File	13 KB

After create the donation.php file, you need add one function to **getData.php** file

```

function get_data_donation($search){

    GLOBAL $konek;

    if(!empty($search)){

        $paramSearch = " AND title LIKE '%" . $search . "%' OR description LIKE '%" . $search
. "%'";

    }else{

        $paramSearch = " ";

    }

    $get_data = mysqli_query($konek, "

        SELECT

            *

        FROM t_donation

        WHERE

            status = 'onprogress'

            ".$paramSearch."

    ");

    return $get_data;

}

```

```


function get_data_count(){
    GLOBAL $konek;
    $get_data = mysqli_query($konek, "
        SELECT
            count(*) jumlah
        FROM t_donation
        WHERE
            status = 'done'
    ");

    return $get_data;
}

function get_data_donation($search){
    GLOBAL $konek;
    if(!empty($search)){
        $paramSearch = " AND title LIKE '%" . $search . "%' OR description LIKE '%" . $search . "%'";
    }else{
        $paramSearch = " ";
    }

    $get_data = mysqli_query($konek, "
        SELECT
            *
        FROM t_donation
        WHERE
    
```

Now access “Donasi” menu or click “List Donations” button



Then you will see the donation page

Daftar Donasi

Cari Donasi

Berikut ini adalah daftar saudara-saudara kita yang memerlukan bantuan dari kita.
Ayo bantu mereka.



SD Ambon 1



Masjid Asy-Syifa Alor



Korban Banjir Kendal



SD Ambon 1

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.

[Lihat Kebutuhan](#)



Masjid Asy-Syifa Alor

Sudah 64 tahun masjid di pelosok NTT ini berdiri. Sudah 64 tahun pula warga bersabar dengan shalat di masjid yang tak layak.

[Lihat Kebutuhan](#)



Korban Banjir Kendal

Kendal memanggil! Korban banjir butuh bantuan Anda untuk pulih kembali.

[Lihat Kebutuhan](#)

Because we have button called “Lihat Kebutuhan” in donation page so we need to create one file to show the detail of donation, so create one file named **donation_detail.php** and write this code

```
<div class="section-1">
```

```
<div class="container text-center">
```

```
<?php
```

```
$id = isset($_GET['id'])?$_GET['id']:'';
```



```

    $dataHeader = get_data_donation_by_id($id);

    $dataHeader = mysqli_fetch_assoc($dataHeader);

?>

<h1 class="heading-1">

    <?php

        echo $dataHeader['title'];

    ?>

    <h4 id="demo"></h4>

</h1>

<p class="para-1">

    <?php

        echo $dataHeader['description'];

    ?>

</p>


<div class="row justify-content-center text-center">

    <?php

        $dataDonation = get_data_donors_needs($id);

        if($dataDonation->num_rows == 0){

            echo "<h3><i style='color: green;'>[Kebutuhan belum dimasukkan...]</i></h3>";

        }

        while($data = mysqli_fetch_assoc($dataDonation)):

    ?>

    <div class="col-md-4">

        <div class="card">

```

```

```

```
<div class="card-body">
```

```
<h4 class="card-title">
```

```
<?php echo $data['name']; ?>
```

```
</h4>
```

```
<p class="card-text">
```

```
<?php echo $data['price']; ?>
```

```
</p>
```

```
<p class="card-title">
```

```
<span class="fa fa-map-marker"> Kota Bau Bau</span>
```

```
</p>
```

```
<?php
```

```
for($i = 0; $i < 5; $i++):
```

```
?>
```

```
<span class="fa fa-star" style="color: yellow;"></span>
```

```
<?php
```

```
endfor;
```

```
?>
```

```
(100)
```

```
<p class="card-text-count">
```

```
<div class="progress">
```

```
<div class="progress-bar" role="progressbar" style="width: <?php echo
$data['qty_donated'] / $data['qty_need'] * 100; ?>%" aria-valuenow="<?php echo
```

```

$data['qty_donated']; ?>" aria-valuemin="0" aria-valuemax="<?php echo $data['qty_need'];
?>"></div>

</div>

Terkumpul <?php echo $data['qty_donated'] ?>/<?php echo $data['qty_need'];
?>

</p>

<a href="index.php?page=bantu&id=<?php echo $data['tdn_id']; ?>"><button
type="button" class="btn btn-primary">Bantu</button></a>

</div>

</div>

</div> <!-- end col-md-4 -->

<?php endwhile; ?>

</div>

</div>

</div>

<script>

// Set the date we're counting down to
var countDownDate = new Date("May 5, 2019 15:37:25").getTime();

// Update the count down every 1 second
var x = setInterval(function() {

// Get todays date and time
var now = new Date().getTime();

// Find the distance between now and the count down date

```

```

var distance = countdownDate - now;

// Time calculations for days, hours, minutes and seconds
var days = Math.floor(distance / (1000 * 60 * 60 * 24));
var hours = Math.floor((distance % (1000 * 60 * 60 * 24)) / (1000 * 60 * 60));
var minutes = Math.floor((distance % (1000 * 60 * 60)) / (1000 * 60));
var seconds = Math.floor((distance % (1000 * 60)) / 1000);

// Output the result in an element with id="demo"
document.getElementById("demo").innerHTML = "[ " + days + " Hari " + hours + " Jam "
+ minutes + " Menit " + seconds + " Detik " + " ]";

// If the count down is over, write some text
if (distance < 0) {
    clearInterval(x);
    document.getElementById("demo").innerHTML = "Donation time is expired";
}
}, 1000);
</script>

```

After write donation_detail.php we need to add some function in **getData.php**

```
function get_data_donation_by_id($id){  
    GLOBAL $konek;  
    $get_data = mysqli_query($konek, "  
        SELECT  
            *  
        FROM t_donation  
        WHERE  
            id = '$id'  
    ");  
    return $get_data;  
}
```


```
function get_data_donors_needs($id){  
    GLOBAL $konek;  
    $get_data = mysqli_query($konek, "  
        SELECT tdn.*,mp.*, tdn.id as tdn_id FROM t_donation_needs tdn  
        INNER JOIN m_products mp  
        ON mp.id = tdn.product_id  
        WHERE tdn.t_donation_id = ".$id."  
    ");  
    return $get_data;  
}
```

Click “Lihat Kebutuhan” button and the page will be

SD Ambon 1

[80 Hari 0 Jam 50 Menit 16 Detik]

Bantu anak-anak SD Ambon 1 menuntut ilmu, menggapai mimpi mereka. Sekolah mereka saat ini rusak dan membutuhkan uluranmu.



Buku Tulis SINAR DUNIA /
SIDU 10x38 Lembar


22400.00

Kota Bau Bau

★★★★★ (100)

Terkumpul 0/100

Bantu



Whiteboard Magnet
SAKANA 90 x 180 cm


712500.00

Kota Bau Bau

★★★★★ (100)

Terkumpul 0/5

Bantu



Spidol Snowman White
Board Maker

8800.00

Kota Bau Bau

★★★★★ (100)

Terkumpul 0/30

Bantu

Let's create file for “Bantu” button when the button is clicked

Create file named **bantu.php** and write this code

```
<?php

$id_tdn = isset($_GET['id'])?$_GET['id']:'';

$data = get_product_by_needs($id_tdn);

$data = mysqli_fetch_assoc($data);

?>

<form action="config/actionPayment.php" method="POST">

    <div class="container">

        <div class="row justify-content-center">

            <div class="paymentCont">
```

```

<div class="headingWrap ">
    <h3 class="headingTop text-center">Pilih
metode pembayaran</h3>

    <p class="text-center">Masukan jumlah
yang ingin anda donasikan, kemudian pilih metode pembayaran</p>

    <center></center><br/>

    <div class="row justify-content-center">
        <?php echo $data['name']; ?> @
        <input name="qty" type="number"
class="form-control ml-2 mr-2" min="1" max="<?php echo ($data['qty_need'] -
$data['qty_donated']); ?>" placeholder="Jumlah" style="width: 15%;" required/>
        X <?php echo $data['price']; ?>
        <input type="hidden"
name="id_tdn" value="<?php echo $id_tdn; ?>" />
        <input type="hidden" name="price"
value="<?php echo $data['price']; ?>" />
        =
        <input name="total" type="text"
readonly class="form-control ml-2" style="width: 20%;" />
    </div>
</div>

<div class="paymentWrap">
    <div class="btn-group paymentBtnGroup btn-
group-justified" data-toggle="buttons">
        <label class="btn paymentMethod active">
            <div class="method visa"></div>
            <input type="radio" name="options"
checked>

```

card"></div>

name="options">

name="options">

name="options">

card"></div>

name="options">

name="options">

</label>

<label class="btn paymentMethod">

<div class="method master-

<input type="radio"

</label>

<label class="btn paymentMethod">

<div class="method amex"></div>

<input type="radio"

</label>

<label class="btn paymentMethod">

<div class="method vishwa"></div>

<input type="radio"

</label>

<label class="btn paymentMethod">

<div class="method master-

<input type="radio"

</label>

<label class="btn paymentMethod">

<div class="method amex"></div>

<input type="radio"

</label>


```

        <label class="btn paymentMethod">
        <div class="method vishwa"></div>
        <input type="radio"
name="options">

        </label>

    </div>

</div>

<div class="footerNavWrap clearfix">

    <center>

        <button class="btn btn-success pull-right
btn-fyi">Bantu Sekarang<span class="glyphicon glyphicon-chevron-right"></span></button>

    </center>

</div>

</div>

</div>

<br/>

<div class="row justify-content-center">

    <h1>History donasi</h1>

    <table class="table table-condensed">

        <tr>

            <th>Nama</th>

            <th>Produk</th>

            <th>Jumlah</th>

            <th>Tanggal</th>

        </tr>

        <?php

```

```

        $dataHistory = get_data_history_by_tdni($id_tdn);
        while($h = mysqli_fetch_assoc($dataHistory)):

?>
<tr>

    <td><?php echo $h['username']; ?></td>

    <td><?php echo $data['name']; ?></td>

    <td><?php echo $h['qty']; ?></td>

    <td><?php echo $h['created']; ?></td>

</tr>

<?php
    endwhile;

?>

</table>

</div>

</div>

</form>

```

Write also some function in **getData.php**

```
function get_product_by_needs($id_donation_needs){  
    GLOBAL $konek;  
  
    $get_data = mysqli_query($konek,  
        "  
        SELECT * FROM t_donation_needs tdn  
        INNER JOIN m_products mp  
        ON tdn.product_id = mp.id  
        WHERE tdn.id = ".$id_donation_needs."  
        "  
    );  
  
    return $get_data;  
}
```

```
function get_data_history_by_tdni($tdni){  
    GLOBAL $konek;  
  
    $get_data = mysqli_query($konek, "  
        SELECT  
        *  
        FROM t_donation_history  
        WHERE  
        t_donation_needs_id = '$tdni'
```

ORDER BY created DESC

");

return \$get_data;

}

Write new css file in **css** folder named **payment_gateway.css** and write this code

.paymentWrap {

padding: 50px;

}

.paymentWrap .paymentBtnGroup {

max-width: 800px;

margin: auto;

}

.paymentWrap .paymentBtnGroup .paymentMethod {

padding: 40px;

box-shadow: none;

position: relative;

}

.paymentWrap .paymentBtnGroup .paymentMethod.active {

outline: none !important;

```
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod.active .method {
```

```
    border-color: #4cd264;
```

```
    outline: none !important;
```

```
    box-shadow: 0px 3px 22px 0px #7b7b7b;
```

```
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method {
```

```
    position: absolute;
```

```
    right: 3px;
```

```
    top: 3px;
```

```
    bottom: 3px;
```

```
    left: 3px;
```

```
    background-size: contain;
```

```
    background-position: center;
```

```
    background-repeat: no-repeat;
```

```
    border: 2px solid transparent;
```

```
    transition: all 0.5s;
```

```
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method.visa {
```

```
    background-image: url("img/visa.png");
```

```
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method.master-card {  
    background-image: url("img/mastercard.png");  
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method.amex {  
    background-image: url("img/amex.jpg");  
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method.vishwa {  
    background-image: url("img/visa_hmb.jpg");  
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method.ez-cash {  
    background-image: url("css/ezcash.png");  
}
```

```
.paymentWrap .paymentBtnGroup .paymentMethod .method:hover {  
    border-color: #4cd264;  
    outline: none !important;  
}
```

Pilih metode pembayaran

Masukan jumlah yang ingin anda donasikan, kemudian pilih metode pembayaran




Spidol Snowman White Board Maker @ Jumlah X 1800.00 =



Bantu Sekarang

To handle “Bantu Sekarang” button, you need to add **actionPayment.php** file in **config** folder

› xampp › htdocs › ProductDonations › config

Name	Date modified	Type
 actionPayment.php	2019-02-09 1:09 PM	PHP File

Then write this code

```
<?php
```

```
include "koneksi.php";
```

```

if(!empty($_POST)){

    $id_tdn    = $_POST['id_tdn'];

    $qty       = $_POST['qty'];

    $price     = $_POST['price'];

    $total     = $_POST['total'];


    // insert into donation history

    $insertHistory = mysqli_query($koneksi, "

        INSERT INTO t_donation_history VALUES('Anonym', '$id_tdn', '$qty', '$price', '$total',
        NOW());

    ");

    Header('Location: ../index.php?page=terimakasih');

}

?>

```

Create **terimakasih.php** in main directory

› xampp › htdocs › ProductDonations

Name	Date modified	Type	Size
admin	2019-02-11 6:41 PM	File folder	
config	2019-02-14 3:09 PM	File folder	
css	2019-02-14 2:53 PM	File folder	
img	2019-02-11 8:12 PM	File folder	
js	2019-02-11 7:39 PM	File folder	
bantu.php	2019-02-14 2:58 PM	PHP File	4 KB
donation.php	2019-02-10 7:33 AM	PHP File	2 KB
donation_detail.php	2019-02-10 7:14 AM	PHP File	4 KB
index.php	2019-02-14 12:44 ...	PHP File	13 KB
terimakasih.php	2019-02-09 7:24 PM	PHP File	1 KB

Then write this code

```
<center>
```

```
  <h1 style="color: green;"><b>Terimakasih!!!</b></h1>
```

```
  <h5 style="color: pink;">
```

```
    <b>Bantuan dari anda akan segera diverifikasi dan diproses untuk sampai ketangan yang membutuhkan :)</b>
```

```
  </h5>
```

```
  <br/>
```

```
  <h3> Sebarkan Donasi Ini <h3>
```

```
    <a class="btn-floating btn-lg btn-fb" type="button" role="button"><i class="fab fa-facebook-f"></i></a>
```

```
    <a class="btn-floating btn-lg btn-tw" type="button" role="button"><i class="fab fa-twitter"></i></a>
```

```
    <a class="btn-floating btn-lg btn-li" type="button" role="button"><i class="fab fa-linkedin-in"></i></a>
```

```
    <a class="btn-floating btn-lg btn-ins" type="button" role="button"><i class="fab fa-instagram"></i></a><br><br>
```

```
    <br><br>
```

```
</center>
```

After you write the code and you click “Bantu Sekarang” button you will redirect to this page

Terimakasih!!!

Bantuan dari anda akan segera diverifikasi dan diproses untuk sampai ketangan yang membutuhkan :)

Sebarkan Donasi Ini



11.1 Cara Kerja Kami page

Create file named **carakerjakami.php** and write this code

```
<center>

<div class="container-fluid">

  <div class="row">

    <div class="col-sm-4">

    </div>

    <div class="col-sm-8">

      <br><br>

      <h2><strong>Untuk kamu para donatur yang luar biasa</strong></h2>

      <h4>Kamu bisa memilih sendiri barang apa yang ingin kamu donasikan sesuai kebutuhan yang ada.

      Sehingga kamu tahu wujud nyata dari uang donasimu.</h4>

    </div><br><br>

    <div class="col-sm-4">

    </div>

    <div class="col-sm-8">

      <br><br>

      <h2><strong>Berdonasi semudah belanja online!</strong></h2>

      <h4>Pilih bidang yang ingin kamu bantu.Beli Produk sesuai kebutuhan mereka.

      Kirim dan dapatkan laporannya langsung. Selesai, terima kasih kamu luar biasa!</p>

    </div><br><br>
```

```
<div class="col-sm-4"><br><br>
```

```

```

```
</div>
```

```
<div class="col-sm-8">
```

```
<br><br><br>
```

```
<h2><strong>Untuk kamu para penggerak NGO</strong></h2>
```

<h4>Kamu bisa memanfaatkan platform ini untuk meningkatkan kredibilitas lembaga dan memudahkan laporan donasi.

Sehingga kamu bisa fokus untuk membantu lebih banyak orang lagi.

```
</h4>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
</center>
```

ProductDonations

[Home](#)

[Donasi](#)

[Cara Kerja Kami](#)

[Gallery](#)

[Donatur](#)

[Hubungi Kami](#)

[Login](#)



Untuk kamu para donatur yang luar biasa

Kamu bisa memilih sendiri barang apa yang ingin kamu donasikan sesuai kebutuhan yang ada. Sehingga kamu tahu wujud nyata dari uang donasimu.



Berdonasi semudah belanja online!

Pilih bidang yang ingin kamu bantu. Beli Produk sesuai kebutuhan mereka. Kirim dan dapatkan laporannya langsung. Selesai, terima kasih kamu luar biasa!

12.1 Gallery page

Create **gallery.php** file and write this code

```
<div id="carousel-example-2" class="carousel slide carousel-fade z-depth-1-half" data-ride="carousel">

  <ol class="carousel-indicators">

    <li data-target="#carousel-example-2" data-slide-to="0" class="active"></li>

    <li data-target="#carousel-example-2" data-slide-to="1"></li>

    <li data-target="#carousel-example-2" data-slide-to="2"></li>

  </ol>

  <div class="carousel-inner" role="listbox">

    <div class="carousel-item active">

      <div class="view">

        <div class="mask rgba-black-light"></div>

      </div>

      <div class="carousel-caption">

        <h3 class="h3-responsive">Bantuan Korban Banjir Sumbawa - NTB</h3>

        <p>Bahan makanan dan peralatan dapur sudah tersalurkan </p>

      </div>

    </div>

    <div class="carousel-item">

      <div class="view">

        <div class="mask rgba-black-light"></div>
```

```

</div>

<div class="carousel-caption">

  <h3 class="h3-responsive">Renovasi sekolah di Palu pasca Gempa</h3>

  <p>Donasi telah tersalurkan untuk pembangunan kembali sekolah yang rusak</p>

</div>

</div>

<div class="carousel-item">

  <div class="view">

    <div class="mask rgba-black-light"></div>

  </div>

  <div class="carousel-caption">

    <h3 class="h3-responsive">Pembangunan kembali Masjid di Lombok yang Rusak</h3>

    <p>Sumbangan dari pengguna telah disalurkan untuk pembangunan kembali Masjid Baitullah </p>

  </div>

</div>

</div>

<a class="carousel-control-prev" href="#carousel-example-2" role="button" data-slide="prev">

  <span class="carousel-control-prev-icon" aria-hidden="true"></span>

  <span class="sr-only">Previous</span>

</a>

<a class="carousel-control-next" href="#carousel-example-2" role="button" data-slide="next">

  <span class="carousel-control-next-icon" aria-hidden="true"></span>

  <span class="sr-only">Next</span>

```


</div>



13.1 Donatur page

Create file named **donated.php** and write this code

```
<div class="card mb-3" style="width: 100%;">
```

```
<div class="card-header">
```

```
<i class="fas fa-table"></i>
```

```
Report Donation</div>
```

```
<div class="card-body">
```

```
<div class="table-responsive">
```

```
<table class="table table-bordered" id="historyAll" width="100%" cellpadding="0">
```

```
<thead>
```

```

<tr>

    <th>Nama</th>

    <th>Produk</th>

    <th>Jumlah</th>

    <th>Tanggal</th>

</tr>

</thead>

<tfoot>

<tr>

    <th>Nama</th>

    <th>Produk</th>

    <th>Jumlah</th>

    <th>Tanggal</th>

</tr>

</tfoot>

<tbody>

    <?php
        $dataHistory = get_data_all_history();

        while($h = mysqli_fetch_assoc($dataHistory)):

            ?>

            <tr>

                <td><?php echo $h['username']; ?></td>

                <td><?php echo $h['name']; ?></td>

                <td><?php echo $h['qty']; ?></td>

                <td><?php echo $h['created']; ?></td>

```



```
</tr>

<?php
    endwhile;
?>
</tbody>
</table>
</div>
</div>
<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

<style>
    .dataTables_filter{
        margin-right: 1%;
    }

    .dataTables_length, .dataTables_info{
        margin-left: 1%;
    }

</style>
```

Then add this function in **getData.php**

```
function get_data_all_history(){  
    GLOBAL $koneksi;  
  
    $get_data = mysqli_query($koneksi, "  
        SELECT * FROM t_donation_history a  
        INNER JOIN t_donation_needs b  
        ON a.t_donation_needs_id = b.id  
        INNER JOIN m_products c  
        ON c.id = b.product_id  
    ");  
  
    return $get_data;  
}
```

ProductDonations [Home](#) [Donasi](#) [Cara Kerja Kami](#) [Gallery](#) [Donatur](#) [Hubungi Kami](#) [Login](#)

Report Donation

Show entries Search:

Nama	Produk	Jumlah	Tanggal
Anonym	Spidol Snowman White Board Maker	1	2019-02-14 15:09:20

Nama **Produk** **Jumlah** **Tanggal**

Showing 1 to 1 of 1 entries Previous Next

Updated yesterday at 11:59 PM

14.1 Hubungi kami page

Create **contact_us.php** and write this code

```
<div class="container contact-form">

    <div class="contact-image">

    </div>

    <form method="post">

        <h3>Hubungi Kami</h3>

        <div class="row">

            <div class="col-md-6">

                <div class="form-group">

                    <input type="text" name="txtName" class="form-control" placeholder="Nama
Anda *" value="" />

                </div>

                <div class="form-group">

                    <input type="text" name="txtEmail" class="form-control" placeholder="Email
Anda *" value="" />

                </div>

                <div class="form-group">

                    <input type="text" name="txtPhone" class="form-control" placeholder="No
Telepon Anda *" value="" />

                </div>

                <div class="form-group">

                    <input type="submit" name="btnSubmit" class="btnContact" value="Kirim
Pesan" />

                </div>

            </div>

        </div>

    </form>

</div>
```

```
        </div>

    </div>

    <div class="col-md-6">

        <div class="form-group">

            <textarea name="txtMsg" class="form-control" placeholder="Pesan Anda *"
style="width: 100%; height: 150px;"></textarea>

        </div>

    </div>

</div>

</form>

</div>
```

CHAPTER 3: Admin Panel

In this part we will implement Admin template from bootstrap for administrator to provide data of our application

Okay lets start with downloading the template in this link

<https://startbootstrap.com/templates/sb-admin/>




Extract to **Admin** folder in our project, so the admin folder will be

xampp > htdocs > ProductDonations > admin				
Name	Date modified	Type	Size	
css	2019-01-31 5:45 PM	File folder		
js	2019-01-31 5:45 PM	File folder		
scss	2019-01-31 5:45 PM	File folder		
vendor	2019-01-31 5:45 PM	File folder		
.gitignore	2019-01-31 5:45 PM	Text Document	1 KB	
.travis.yml	2019-01-31 5:45 PM	YML File	1 KB	
404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB	
blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB	
charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB	
forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB	
gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB	
index.html	2019-01-31 5:45 PM	Opera Web Docu...	28 KB	
LICENSE	2019-01-31 5:45 PM	File	2 KB	
login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB	
package.json	2019-01-31 5:45 PM	JSON File	2 KB	
package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB	
README.md	2019-01-31 5:45 PM	MD File	5 KB	
register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB	
tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB	

If we access **admin** with this url

<http://localhost/ProductDonations/admin/>



Now lets try to customize the template with our code

Rename **index.html** to **index.php** Change code in admin/**index.php** with this code

```
<?php
```

```
include "../config/koneksi.php";
```

```
session_start();
```

```
if(!empty($_SESSION['username'])){\
```

```
    $username = $_SESSION['username'];
```

```
    $user_id = $_SESSION['user_id'];
```

```
    $role    = $_SESSION['role'];
```

```
}else{\
```

```
    Header('Location: login.php');
```

```
}
```

```

$bradcrumb = $page = "";
if(!empty($_GET['page'])){
    $bradcrumb = $page = $_GET['page'];
}else{
    $bradcrumb = "Overview";
    $page      = "totaldonation";
}
?>

<!DOCTYPE html>

<html lang="en">

<head>

    <meta charset="utf-8">

    <meta http-equiv="X-UA-Compatible" content="IE=edge">

    <meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

    <meta name="description" content="">

    <meta name="author" content="">

    <title>Admin Product Donation</title>

    <link rel='shortcut icon' type='image/x-icon' href='../favicon.ico' />

    <!-- Custom fonts for this template-->

    <link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">

    <!-- Page level plugin CSS-->

```

```
<link href="vendor/datatables/dataTables.bootstrap4.css" rel="stylesheet">
```

```
<!-- Custom styles for this template-->
```

```
<link href="css/sb-admin.css" rel="stylesheet">
```

```
<!-- Bootstrap core JavaScript-->
```

```
<script src="vendor/jquery/jquery.min.js"></script>
```

```
<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>
```

```
<!-- Core plugin JavaScript-->
```

```
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>
```

```
<!-- Page level plugin JavaScript-->
```

```
<script src="vendor/chart.js/Chart.min.js"></script>
```

```
<script src="vendor/datatables/jquery.dataTables.js"></script>
```

```
<script src="vendor/datatables/dataTables.bootstrap4.js"></script>
```

```
<!-- Custom scripts for all pages-->
```

```
<script src="js/sb-admin.min.js"></script>
```

```
<!-- Demo scripts for this page-->
```

```
<script src="js/demo/datatables-demo.js"></script>
```

```
<script src="js/demo/chart-area-demo.js"></script>
```


</head>

<body id="page-top">

<nav class="navbar navbar-expand navbar-dark bg-dark static-top">

Product Donation

<button class="btn btn-link btn-sm text-white order-1 order-sm-0" id="sidebarToggle" href="#">

<i class="fas fa-bars"></i>

</button>

<!-- Navbar Search -->

<form class="d-none d-md-inline-block form-inline ml-auto mr-0 mr-md-3 my-2 my-md-0">

<div class="input-group">

<input type="text" class="form-control" placeholder="Search for..." aria-label="Search" aria-describedby="basic-addon2">

<div class="input-group-append">

<button class="btn btn-primary" type="button">

<i class="fas fa-search"></i>

</button>

</div>

</div>

</form>

```

<!-- Navbar -->

<ul class="navbar-nav ml-auto ml-md-0">

  <li class="nav-item dropdown no-arrow mx-1">

    <a class="nav-link dropdown-toggle" href="#" id="alertsDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">

      <i class="fas fa-bell fa-fw"></i>

      <span class="badge badge-danger">9+</span>

    </a>

    <div class="dropdown-menu dropdown-menu-right" aria-labelledby="alertsDropdown">

      <a class="dropdown-item" href="#">Action</a>

      <a class="dropdown-item" href="#">Another action</a>

      <div class="dropdown-divider"></div>

      <a class="dropdown-item" href="#">Something else here</a>

    </div>

  </li>

  <li class="nav-item dropdown no-arrow mx-1">

    <a class="nav-link dropdown-toggle" href="#" id="messagesDropdown" role="button"
data-toggle="dropdown" aria-haspopup="true" aria-expanded="false">

      <i class="fas fa-envelope fa-fw"></i>

      <span class="badge badge-danger">7</span>

    </a>

    <div class="dropdown-menu dropdown-menu-right" aria-
labelledby="messagesDropdown">

      <a class="dropdown-item" href="#">Action</a>

      <a class="dropdown-item" href="#">Another action</a>

      <div class="dropdown-divider"></div>

```

```

        <a class="dropdown-item" href="#">Something else here</a>

    </div>

</li>

<li class="nav-item dropdown no-arrow">

    <a class="nav-link dropdown-toggle" href="#" id="userDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">

        <i class="fas fa-user-circle fa-fw"></i>

    </a>

    <div class="dropdown-menu dropdown-menu-right" aria-labelledby="userDropdown">

        <a class="dropdown-item" href="#">Settings</a>

        <a class="dropdown-item" href="#">Activity Log</a>

        <div class="dropdown-divider"></div>

        <a class="dropdown-item" href="#" data-toggle="modal" data-
target="#logoutModal">Logout</a>

    </div>

</li>

</ul>

</nav>

<div id="wrapper">

    <!-- Sidebar -->

    <ul class="sidebar navbar-nav">

        <li class="nav-item active">

            <a class="nav-link" href="index.php">

                <i class="fas fa-fw fa-tachometer-alt"></i>

                <span>Dashboard</span>

```

```

</a>

</li>

<li class="nav-item dropdown">

    <a class="nav-link dropdown-toggle" href="#" id="pagesDropdown" role="button" data-
toggle="dropdown" aria-haspopup="true" aria-expanded="false">

        <i class="fas fa-fw fa-folder"></i>

        <span>Menu</span>

    </a>

    <div class="dropdown-menu" aria-labelledby="pagesDropdown">

        <?php
            if($role == 2):

                ?>

                <h6 class="dropdown-header">NGO:</h6>

                <a class="dropdown-item" href="index.php?page=donation">Donations</a>

                <a class="dropdown-item" href="index.php?page=gallery">Gallery</a>

            <?php
                else:

                ?>

                <h6 class="dropdown-header">Admin:</h6>

                <a class="dropdown-item" href="index.php?page=product">Product</a>

                <a class="dropdown-item" href="index.php?page=user">User</a>

            <?php endif; ?>

        </div>

    </li>

    <li class="nav-item">

        <a class="nav-link" href="index.php?page=laporan">

```

```

        <i class="fas fa-fw fa-chart-area"></i>

        <span>Laporan</span></a>

    </li>

</ul>

<div id="content-wrapper">

    <div class="container-fluid">

        <!-- Breadcrumbs-->

        <ol class="breadcrumb">

            <li class="breadcrumb-item">

                <a href="index.php">Dashboard</a>

            </li>

            <li class="breadcrumb-item active"><?php echo $breadcrumb; ?></li>

        </ol>

        <?php

            include $page.".php";

        ?>

    </div>

    <!-- /.container-fluid -->

    <!-- Sticky Footer -->

```

```
<footer class="sticky-footer">

  <div class="container my-auto">

    <div class="copyright text-center my-auto">

      <span>Copyright © Oke Iya Siyap 2019</span>

    </div>

  </div>

</footer>
```

```
</div>

<!-- /.content-wrapper -->
```

```
</div>

<!-- /#wrapper -->
```

```
<!-- Scroll to Top Button-->

<a class="scroll-to-top rounded" href="#page-top">

  <i class="fas fa-angle-up"></i>

</a>
```

```
<!-- Logout Modal-->

<div class="modal fade" id="logoutModal" tabindex="-1" role="dialog" aria-
labelledby="exampleModalLabel" aria-hidden="true">

  <div class="modal-dialog" role="document">

    <div class="modal-content">

      <div class="modal-header">
```

```

<h5 class="modal-title" id="exampleModalLabel">Ready to Leave?</h5>

<button class="close" type="button" data-dismiss="modal" aria-label="Close">

  <span aria-hidden="true">×</span>

</button>

</div>

<div class="modal-body">Select "Logout" below if you are ready to end your current
session.</div>

<div class="modal-footer">

  <button class="btn btn-secondary" type="button" data-
dismiss="modal">Cancel</button>

  <a class="btn btn-primary" href="login.php">Logout</a>

</div>

</div>

</div>

</div>


</div>

</body>





















</html>

```

So the admin main page will be



Okay, now we are going to create login page for our admin, so create file named **login.php** in admin folder

xampp >htdocs > ProductDonations > admin >			
Name	Date modified	Type	Size
 index.html	2019-02-15 7:02 PM	Opera Web Docu...	9 KB
 login.php	2019-02-09 5:22 PM	PHP File	3 KB
 .gitignore	2019-01-31 5:45 PM	Text Document	1 KB
 .travis.yml	2019-01-31 5:45 PM	YML File	1 KB
 404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB
 forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB
 gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB
 LICENSE	2019-01-31 5:45 PM	File	2 KB
 login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB
 package.json	2019-01-31 5:45 PM	JSON File	2 KB
 package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB
 README.md	2019-01-31 5:45 PM	MD File	5 KB
 register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB
 tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB
 css	2019-01-31 5:45 PM	File folder	
 js	2019-01-31 5:45 PM	File folder	
 scss	2019-01-31 5:45 PM	File folder	
 vendor	2019-01-31 5:45 PM	File folder	

Then write this code

```
<?php
    session_start();
    session_destroy();
?>
<!DOCTYPE html>
<html lang="en">
    <head>
```



```

<meta charset="utf-8">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<meta name="viewport" content="width=device-width, initial-scale=1, shrink-to-fit=no">

<meta name="description" content="">

<meta name="author" content="">


<title>SB Admin - Login</title>


<!-- Custom fonts for this template-->

<link href="vendor/fontawesome-free/css/all.min.css" rel="stylesheet" type="text/css">


<!-- Custom styles for this template-->

<link href="css/sb-admin.css" rel="stylesheet">


</head>

<body class="bg-dark">

  <div class="container">

    <div class="card card-login mx-auto mt-5">

      <div class="card-header">Login</div>

      <div class="card-body">

        <form action="php/action_login.php" method="POST">

          <?php

            if(isset($_SESSION['msg'])):

              ?>

              <div style="margin-bottom: 5%;">

```

```

        <?php echo $_SESSION['msg']; ?>

    </div>

<?php endif;?>

<div class="form-group">

    <div class="form-label-group">

        <input type="text" id="inputText" class="form-control" placeholder="Username"
required="required" autofocus="autofocus" name="username">

        <label for="inputText">Username</label>

    </div>

</div>

<div class="form-group">

    <div class="form-label-group">

        <input type="password" id="inputPassword" class="form-control"
placeholder="Password" required="required" name="password">

        <label for="inputPassword">Password</label>

    </div>

</div>

<button class="btn btn-primary btn-block" type="submit">Login</button>

</form>

</div>

</div>

</div>

<!-- Bootstrap core JavaScript-->

<script src="vendor/jquery/jquery.min.js"></script>

<script src="vendor/bootstrap/js/bootstrap.bundle.min.js"></script>

```

```
<!-- Core plugin JavaScript-->
```

```
<script src="vendor/jquery-easing/jquery.easing.min.js"></script>
```

```
</body>
```

```
</html>
```


After login form, we need to create the action of login

So create **php** folder in admin main page

› xampp ›htdocs › ProductDonations › admin ›

Name	Date modified	Type	Size
css	2019-01-31 5:45 PM	File folder	
js	2019-01-31 5:45 PM	File folder	
php	2019-02-15 7:07 PM	File folder	
scss	2019-01-31 5:45 PM	File folder	
vendor	2019-01-31 5:45 PM	File folder	
.gitignore	2019-01-31 5:45 PM	Text Document	1 KB
.travis.yml	2019-01-31 5:45 PM	YML File	1 KB
404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB
forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB
gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB
index.html	2019-02-15 7:02 PM	Opera Web Docu...	9 KB
LICENSE	2019-01-31 5:45 PM	File	2 KB
login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB
login.php	2019-02-09 5:22 PM	PHP File	3 KB
package.json	2019-01-31 5:45 PM	JSON File	2 KB
package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB
README.md	2019-01-31 5:45 PM	MD File	5 KB
register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB
tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB

Then create file named **action_login.php** in admin/**php** folder

» xampp » htdocs » ProductDonations » admin » php			
Name	Date modified	Type	Size
 action_login.php	2019-02-09 5:17 PM	PHP File	2 KB

And write this code

```
<?php
```

```
    session_start();
```

```
    include "../config/koneksi.php";
```

```
    $username = strtolower($_POST['username']);
```

```
    $password = $_POST['password'];
```

```
    // print_r(password_hash($password, PASSWORD_DEFAULT)); exit;
```

```
    if(!empty($username)){
```

```
        $get_user_data = mysqli_query($koneksi, "SELECT * FROM m_user WHERE  
        LOWER(username) = '$username' LIMIT 1");
```

```
        $data = mysqli_fetch_assoc($get_user_data);
```

```
        if($username == strtolower($data['username'])){\
```

```
            if(password_verify($password, $data['password'])){\
```

```
                unset($_SESSION['msg']);
```

```
                // daftarkan data user di session
```

```
                $_SESSION['user_id'] = $data['id'];
```

```
                $_SESSION['username'] = $data['username'];
```


```
                $_SESSION['role'] = $data['role'];
```

```
Header('Location: ../index.php');  
  
die;  
  
}else{  
  
    // error password  
  
    $_SESSION['msg'] = 'Invalid Username or Password, Please Try Again';  
  
    Header('Location: ../login.php');  
  
    die;  
  
    }  
  
    }  
  
}
```

```
$_SESSION['msg'] = 'Invalid Username or Password, Please Try Again';  
  
Header('Location: ../login.php');  
  
  
die;
```

?>

If you access login page with this url <http://localhost/ProductDonations/admin/login.php>




The image shows a login form with a title bar labeled 'Login'. Below the title bar, there are two input fields: 'Username' and 'Password'. At the bottom of the form is a blue button labeled 'Login'.

Now we can login using username and password that exists in database

Currently you can use

Username: admin,ngo

Password: admin,ngo



After login we are going to create simple dashboard for our admin page

Create **totaldonation.php** file in admin folder

› xampp › htdocs › ProductDonations › admin ›

Name	Date modified	Type	Size
index.php	2019-02-15 7:02 PM	PHP File	9 KB
totaldonation.php	2019-02-10 6:22 AM	PHP File	3 KB
login.php	2019-02-09 5:22 PM	PHP File	3 KB
.gitignore	2019-01-31 5:45 PM	Text Document	1 KB
.travis.yml	2019-01-31 5:45 PM	YML File	1 KB
404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB
forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB
gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB
LICENSE	2019-01-31 5:45 PM	File	2 KB
login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB
package.json	2019-01-31 5:45 PM	JSON File	2 KB
package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB
README.md	2019-01-31 5:45 PM	MD File	5 KB
register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB
tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB
php	2019-02-15 7:07 PM	File folder	
css	2019-01-31 5:45 PM	File folder	
js	2019-01-31 5:45 PM	File folder	
scss	2019-01-31 5:45 PM	File folder	
vendor	2019-01-31 5:45 PM	File folder	

Then write this code

```
<!-- Icon Cards-->

<div class="">

    <div class="col-xl-12 col-sm-12 mb-3">

        <div class="card text-white bg-success o-hidden h-100">

            <div class="card-body">

                <div class="card-body-icon">

                    <i class="fas fa-fw fa-shopping-cart"></i>

                </div>

                <?php

                    $dataCount = mysqli_query($koneksi, "

                    SELECT

                        count(*) jumlah

                    FROM t_donation_history

                    ");

                    $dataCount = mysqli_fetch_assoc($dataCount);

                ?>

                <div class="mr-5"><?php echo $dataCount['jumlah']; ?> Total Donatur</div>

            </div>

        </div>

    </div>

    <div class="card mb-3">

        <div class="card-header">

            <i class="fas fa-table"></i>
```

Data Donasi</div>

<div class="card-body">

<div class="table-responsive">

<table class="table table-bordered" id="dataTable" width="100%" cellspacing="0">

<thead>

<tr>

<th>Nama</th>

<th>Produk</th>

<th>Jumlah</th>

<th>Tanggal</th>

</tr>

</thead>

<tfoot>

<tr>

<th>Nama</th>

<th>Produk</th>

<th>Jumlah</th>

<th>Tanggal</th>

</tr>

</tfoot>

<tbody>

<?php

\$getDonasi = mysqli_query(\$koneksi, "

SELECT * FROM t_donation_history a

INNER JOIN t_donation_needs b


```

        ON a.t_donation_needs_id = b.id

        INNER JOIN m_products c

        ON c.id = b.product_id

    ");

    while($data = mysqli_fetch_assoc($getDonasi)):

?>

        <tr>

            <td><?php echo $data['username']; ?></td>

            <td><?php echo $data['name']; ?></td>

            <td><?php echo $data['qty']; ?></td>

            <td><?php echo $data['created']; ?></td>

        </tr>

        <?php endwhile; ?>

    </tbody>

</table>

</div>

</div>


<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

</div>

```

Access url <http://localhost/ProductDonations/admin>


And the interface will be



The screenshot shows the 'Product Donation' admin dashboard. The left sidebar contains 'Dashboard', 'Menu', and 'Laporan'. The main content area shows 'Dashboard / Overview' with a green bar indicating '1 Total Donatur'. Below this is a 'Data Donasi' section with a table of donations. The table has columns for 'Nama', 'Produk', 'Jumlah', and 'Tanggal'. One entry is visible: 'Anonym' for 'Spidol Snowman White Board Maker' with a quantity of '1' and a timestamp of '2019-02-14 15:09:20'. The page also includes a search bar, a 'Show 10 entries' dropdown, and pagination controls.
























| Nama | Produk | Jumlah | Tanggal |
|--------|----------------------------------|--------|---------------------|
| Anonym | Spidol Snowman White Board Maker | 1 | 2019-02-14 15:09:20 |

If you login as admin then you click product menu



The screenshot shows the 'Product Donation' admin dashboard with the 'Menu' dropdown open, highlighting 'Product'. The main content area displays a warning message: 'Warning: include(product.php): failed to open stream: No such file or directory in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176'. The warning also mentions 'Warning: include(): Failed opening 'product.php' for inclusion (include_path='G:\xampp\php\PEAR') in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176'.

We are going to create master product, create **product.php**

| xampp > htdocs > ProductDonations > admin | | | |
|--|--------------------|-------------------|--------|
| Name | Date modified | Type | Size |
|  index.php | 2019-02-15 7:02 PM | PHP File | 9 KB |
|  totaldonation.php | 2019-02-10 6:22 AM | PHP File | 3 KB |
|  product.php | 2019-02-10 2:47 AM | PHP File | 4 KB |
|  login.php | 2019-02-09 5:22 PM | PHP File | 3 KB |
|  .gitignore | 2019-01-31 5:45 PM | Text Document | 1 KB |
|  .travis.yml | 2019-01-31 5:45 PM | YML File | 1 KB |
|  404.html | 2019-01-31 5:45 PM | Opera Web Docu... | 8 KB |
|  blank.html | 2019-01-31 5:45 PM | Opera Web Docu... | 8 KB |
|  charts.html | 2019-01-31 5:45 PM | Opera Web Docu... | 9 KB |
|  forgot-password.html | 2019-01-31 5:45 PM | Opera Web Docu... | 2 KB |
|  gulpfile.js | 2019-01-31 5:45 PM | JavaScript File | 4 KB |
|  LICENSE | 2019-01-31 5:45 PM | File | 2 KB |
|  login.html | 2019-01-31 5:45 PM | Opera Web Docu... | 3 KB |
|  package.json | 2019-01-31 5:45 PM | JSON File | 2 KB |
|  package-lock.json | 2019-01-31 5:45 PM | JSON File | 261 KB |
|  README.md | 2019-01-31 5:45 PM | MD File | 5 KB |
|  register.html | 2019-01-31 5:45 PM | Opera Web Docu... | 4 KB |
|  tables.html | 2019-01-31 5:45 PM | Opera Web Docu... | 25 KB |
|  php | 2019-02-15 7:07 PM | File folder | |
|  css | 2019-01-31 5:45 PM | File folder | |
|  js | 2019-01-31 5:45 PM | File folder | |
|  scss | 2019-01-31 5:45 PM | File folder | |
|  vendor | 2019-01-31 5:45 PM | File folder | |

Write this code

```
<?php
```

```
    include "../config/koneksi.php";
```

```
    $action = isset($_GET['action'])?$_GET['action']:"";
```

```
    if($action == ""):
```

```
?>
```

```
        <a href="index.php?page=product&action=add"><button class="btn btn-primary mb-2" style="margin-left: 89%;">Tambah Produk</button></a>
```

```

<div class="card mb-3">

    <div class="card-header"><i class="fas fa-table"></i>Product</div>

    <div class="card-body">

        <div class="table-responsive">

            <table class="table table-bordered" id="dataTable" width="100%" cellspacing="0">

                <thead>

                    <tr>

                        <th>Nama Produk</th>

                        <th>Picture</th>

                        <th>Price</th>

                    </tr>

                </thead>

                <tfoot>

                    <tr>

                        <th>Nama Produk</th>

                        <th>Picture</th>

                        <th>Price</th>

                    </tr>

                </tfoot>

                <tbody>

                    <?php

                        $dataHistory = mysqli_query($koneksi, "

                            SELECT * FROM m_products

                        ");

                        while($h = mysqli_fetch_assoc($dataHistory)):

```

```

?>

<tr>

    <td><?php echo $h['name']; ?></td>

    <td></td>

    <td><?php echo $h['price']; ?></td>

</tr>

<?php
    endwhile;
?>

</tbody>

</table>

</div>

</div>

<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

<?php
    elseif($action == 'add'):
?>

<div class="panel panel-default ">

    <div class="card mb-3">

        <div class="card-header"><i class="fas fa-table"></i>Produk</div>

        <div class="card-body">

            <form action="php/product.php" method="POST" enctype="multipart/form-data">

                <h3>Tambah Product</h3>

                <a href="index.php?page=product"><button type="button" class="btn btn-danger"
style="width: 50%; float: right;">Batal</button></a>

```

```
        <button type="submit" class="btn btn-primary" style="width:
50%;">Simpan</button>
```

```
    <hr/>
```

```
    <label>Nama Produk</label>
```

```
    <input type="text" class="form-control" placeholder="Nama Produk" name="name"
required />
```

```
    <label>Gambar</label>
```

```
    <input type="file" name="picture" class="form-control" required>
```

```
    <label>Harga</label>
```

```
    <input type="text" class="form-control" placeholder="Harga" name="price"
required />
```

```
    <hr/>
```

```
    <hr/>
```

```
  </form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script src="js/jquery.multifield.js"></script>
```



```
<script>
```

```
    $('#example-1').multifield();
```

```
</script>
```

<?php endif; ?>

So the interface will be



Dashboard / product

Produk

Tambah Product

SimpanBatal

Nama Produk

Gambar

Choose File


No file chosen

Harga

Now you cann add product from admin page 😊

























This is time for you to improve you coding skill

Crete your own code for Master user



Create **user.php**


























› xampp › htdocs › ProductDonations › admin

Name	Date modified	Type	Size
 index.php	2019-02-15 7:02 PM	PHP File	9 KB
 totaldonation.php	2019-02-10 6:22 AM	PHP File	3 KB
 product.php	2019-02-10 2:47 AM	PHP File	4 KB
 user.php	2019-02-15 7:23 PM	PHP File	0 KB
 login.php	2019-02-09 5:22 PM	PHP File	3 KB
 .gitignore	2019-01-31 5:45 PM	Text Document	1 KB
 .travis.yml	2019-01-31 5:45 PM	YML File	1 KB
 404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB
 forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB
 gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB
 LICENSE	2019-01-31 5:45 PM	File	2 KB
 login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB
 package.json	2019-01-31 5:45 PM	JSON File	2 KB
 package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB
 README.md	2019-01-31 5:45 PM	MD File	5 KB
 register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB
 tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB
 php	2019-02-15 7:07 PM	File folder	
 css	2019-01-31 5:45 PM	File folder	
 js	2019-01-31 5:45 PM	File folder	
 scss	2019-01-31 5:45 PM	File folder	
 vendor	2019-01-31 5:45 PM	File folder	

Then write your own code for user's form ☺ btw you can look at product.php as your reference
☺ Good Luck!

For Laporan menu create file named **laporan.php**

xampp › htdocs › ProductDonations › admin

Name	Date modified	Type	Size
 user.php	2019-02-15 7:23 PM	PHP File	0 KB
 index.php	2019-02-15 7:02 PM	PHP File	9 KB
 totaldonation.php	2019-02-10 6:22 AM	PHP File	3 KB
 product.php	2019-02-10 2:47 AM	PHP File	4 KB
 laporan.php	2019-02-09 5:42 PM	PHP File	1 KB
 login.php	2019-02-09 5:22 PM	PHP File	3 KB
 .gitignore	2019-01-31 5:45 PM	Text Document	1 KB
 .travis.yml	2019-01-31 5:45 PM	YML File	1 KB
 404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB
 charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB
 forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB
 gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB
 LICENSE	2019-01-31 5:45 PM	File	2 KB
 login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB
 package.json	2019-01-31 5:45 PM	JSON File	2 KB
 package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB
 README.md	2019-01-31 5:45 PM	MD File	5 KB
 register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB
 tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB
 php	2019-02-15 7:07 PM	File folder	
 css	2019-01-31 5:45 PM	File folder	
 js	2019-01-31 5:45 PM	File folder	
 scss	2019-01-31 5:45 PM	File folder	
 vendor	2019-01-31 5:45 PM	File folder	

And write this code

```
<!-- Area Chart Example-->

<div class="card mb-3">

<div class="card-header">

    <i class="fas fa-chart-area"></i>

    Report Donasi Bulan Maret 2019</div>


<div class="card-body">

    <canvas id="myAreaChart" width="100%" height="30"></canvas>

</div>


<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

</div>
```




Come on you can improve the empty page to your awesome report's page 😊

Oke the last part of this chapter is login as **ngo** user



A login form titled "Login" with a light gray header. It contains two input fields: "Username" with the value "ngo" and "Password" with masked characters. Below the fields is a large blue button labeled "Login".

Username: ngo, Password: ngo



The dashboard shows a sidebar with "Donations" highlighted in red. The main content area displays "1 Total Donatur" in a green bar, followed by a table of donation data.

Nama	Produk	Jumlah	Tanggal
Anonym	Spidol Snowman White Board Maker	1	2019-02-14 15:09:20

Showing 1 to 1 of 1 entries

Updated yesterday at 11:59 PM

Create **donation.php** then write this code

```
<?php

$action = isset($_GET['action'])?$_GET['action']:"";

if($action == ""):

?>
```

```
<a href="index.php?page=donation&action=add"><button class="btn btn-primary mb-2" style="margin-left: 89%;">Tambah Donasi</button></a>
```

```
<div class="card mb-3">
```

```
<div class="card-header"><i class="fas fa-table"></i>Donasi</div>
```

```
<div class="card-body">
```

```
<div class="table-responsive">
```

```
<table class="table table-bordered" id="dataTable" width="100%" cellpadding="0">
```

```
<thead>
```

```
<tr>
```

```
<th>Judul Donasi</th>
```

```
<th>Keterangan Donasi</th>
```

```
<th>Picture</th>
```

```
<th>Tanggal</th>
```

```
</tr>
```

```
</thead>
```

```
<tfoot>
```

```
<tr>
```

```
<th>Judul Donasi</th>
```

```
<th>Keterangan Donasi</th>
```

```
<th>Picture</th>
```

```
<th>Tanggal</th>
```

```
</tr>
```

```
</tfoot>
```

```
<tbody>
```

```
<?php
```

```
$dataHistory = mysqli_query($koneksi, "
```

```

        SELECT * FROM t_donation

    ");

    while($h = mysqli_fetch_assoc($dataHistory)):

?>

<tr>

    <td><a href="index.php?page=donation_detail_view&t_donation_id=?php echo $h['id'];
?>"><?php echo $h['title']; ?></a></td>

    <td><?php echo $h['description']; ?></td>

    <td></td>

    <td><?php echo $h['created']; ?></td>

</tr>

<?php

    endwhile;

?>

</tbody>

</table>

</div>

</div>

<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

<?php

elseif($action == 'add'):

?>

<!-- <div class="panel panel-default ">

    <div class="card mb-3">

        <div class="card-header"><i class="fas fa-table"></i>Donasi</div>

```

```

<div class="card-body">

    <form action="php/donation.php" method="POST" enctype="multipart/form-data">

        <h3>Tambah Donasi</h3>

        <a href="index.php?page=donation"><button type="button" class="btn btn-danger"
style="width: 50%; float: right;">Batal</button></a>

        <button type="submit" class="btn btn-primary" style="width: 50%;">Simpan</button>

        <hr/>

        <label>Judul Donasi</label>

        <input type="text" class="form-control" placeholder="Judul Donasi" name="title" required />

        <label>Keterangan Donasi</label>

        <textarea class="form-control" placeholder="Keterangan donasi Donasi" rows="10"
name="description" required></textarea>

        <label>Picture</label>

        <input type="file" name="picture" class="form-control" required>

        <label>Tanggal Berakhir</label>

        <input type="text" name="due_date" class="form-control" required>

        <hr/>

        <h5>Produk yang dibutuhkan</h5>

        <div id="example-1" class="content" data-mfield-options='{ "section":
".group", "btnAdd": "#btnAdd-1", "btnRemove": ".btnRemove" }'>

            <div class="row" style="margin-left: 68.5%;">

```

```

        <div class="col-md-12"><button type="button" id="btnAdd-1" class="btn btn-
primary"><span class="fa fa-plus"></span></button></div>

</div>

<div class="row group mt-2">

    <div class="col-md-4">

        <select name="product_id[]" class="form-control" required>

            <option value="">-- Pilih Produk --</option>

            <?php

                $dataProduk = mysqli_query($koneksi, "

                    SELECT * FROM m_products

                ");

                while($produk = mysqli_fetch_assoc($dataProduk)):

                    ?>

                        <option value="<?php echo $produk['id']; ?>"><?php echo $produk['name'];
?></option>

                    <?php endwhile; ?>

                </select>

            </div>

            <div class="col-md-2">

                <input class="form-control" type="number" min="1" name="qty_need[]" required>

            </div>

            <div class="col-md-2" style="visibility: hidden">

                <input class="form-control" type="number" min="1" name="qty_donated[]"
default="0">

            </div>

        </div>

```

```
        <button type="button" class="btn btn-danger btnRemove" style="margin-left: 79.3%; "><span class="fa fa-trash"></span></button>
```

```
    </div>
```

```
  </div>
```

```
</div>
```

```
<hr/>
```

```
</form>
```

```
</div>
```

```
</div>
```

```
</div>
```

```
<script src="js/jquery.multifield.js"></script>
```

```
<script>
```

```
    $('#example-1').multifield();
```

```
</script> -->
```

```
<div class="panel panel-default ">
```

```
  <div class="card mb-3">
```

```
    <div class="card-header"><i class="fas fa-table"></i>Donasi</div>
```

```
    <div class="card-body">
```

```
      <form action="php/donation.php" method="POST" enctype="multipart/form-data">
```

```
        <h3>Tambah Donasi</h3>
```

```
        <a href="index.php?page=donation"><button type="button" class="btn btn-danger" style="width: 50%; float: right;">Batal</button></a>
```

```
        <button type="submit" class="btn btn-primary" style="width: 50%;">Simpan</button>
```

```
      <hr/>
```


<label>Judul Donasi</label>

<input type="text" class="form-control" placeholder="Judul Donasi" name="title" required />

<label>Keterangan Donasi</label>

<textarea class="form-control" placeholder="Keterangan donasi Donasi" rows="10" name="description" required></textarea>

<label>Picture</label>

<input type="file" name="picture" class="form-control" required>

<label>Tanggal Berakhir</label>

<input type="text" name="due_date" class="form-control" required>

<hr/>

</form>

</div>

</div>

</div>

<?php endif; ?>

[Tambah Donasi](#)

Donasi

Show 10 entries

Search:

Judul Donasi ↑↓	Keterangan Donasi ↑↓	Picture
Korban Banjir Kendal	Kendal memanggil! Korban banjir butuh bantuan Anda untuk pulih kembali.	

T
2
1
0

Donasi

Tambah Donasi

Simpan

Batal

Judul Donasi

Judul Donasi

Keterangan Donasi

Keterangan donasi Donasi

Picture


[Choose File](#) No file chosen

Tanpa Berakhir

//



And if you click link in donations list



Warning: include(donation_detail_view.php): failed to open stream: No such file or directory in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176

Warning: include(): Failed opening 'donation_detail_view.php' for inclusion (include_path='G:\xampp\php\PEAR') in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176

We are going to create donations detail such as what products needed, etc

So create **donation_detail_view.php** and write this code

```
<?php
```

```
    $donasi_id = isset($_GET['t_donation_id'])?$_GET['t_donation_id']:"";
```

```
?>
```

```
<a href="index.php?page=donation">
```

```
    <button class="btn btn-primary" style="margin-left: 75.5%; margin-bottom: 1%;">Daftar  
    Donasi</button>
```

```
</a>
```

```
<a href="index.php?page=donation_detail&t_donation_id=<?php echo $donasi_id; ?>">
```

```
    <button class="btn btn-primary" style="margin-left: 0.1%; margin-bottom: 1%;">Tambah  
    Produk</button>
```

```
</a>
```

```
<?php
```

```

$Id_donasi = isset($_GET['t_donation_id'])?$_GET['t_donation_id']:'';

$getDonasi = mysqli_query($koneksi, "

    SELECT * FROM t_donation WHERE id = '$Id_donasi'

");

$data = mysqli_fetch_assoc($getDonasi);

?>

<center>

    <h4>= $data['title']; &gt;&lt;/h4&gt;

    &lt;p&gt;<?= $data['description']; &gt;&lt;/p&gt;

&lt;/center&gt;

&lt;div class="card mb-3"&gt;

    &lt;div class="card-header"&gt;&lt;i class="fas fa-table"&gt;&lt;/i&gt;Donasi&lt;/div&gt;

    &lt;div class="card-body"&gt;

        &lt;div class="table-responsive"&gt;

            &lt;table class="table table-bordered" id="dataTable" width="100%" cellspacing="0"&gt;

                &lt;thead&gt;

                    &lt;tr&gt;

                        &lt;th&gt;Nama Produk&lt;/th&gt;

                        &lt;th&gt;Gambar&lt;/th&gt;

                        &lt;th&gt;Jumlah Dibutuhkan&lt;/th&gt;

                    &lt;/tr&gt;

                &lt;/thead&gt;
</pre

```

```

<tfoot>

<tr>

    <th>Nama Produk</th>

    <th>Gambar</th>

    <th>Jumlah Dibutuhkan</th>

</tr>

</tfoot>

<tbody>

    <?php
        $dataHistory = mysqli_query($koneksi, "
            SELECT * FROM t_donation_needs a
            INNER JOIN m_products b
            ON a.product_id = b.id
            WHERE t_donation_id = '$donasi_id'
        ");

        while($h = mysqli_fetch_assoc($dataHistory)):
    ?>

    <tr>

        <td><?php echo $h['name']; ?></td>

        <td><?php echo $h['picture']; ?></td>

        <td><?php echo $h['qty_need']; ?></td>

    </tr>

    <?php
        endwhile;

    ?>

```

</tbody>

</table>

</div>

</div>

<div class="card-footer small text-muted">Updated yesterday at 11:59 PM</div>

[Dashboard](#) / [donation_detail_view](#)

Daftar Donasi

Tambah Produk



Korban Banjir Kendal

When you click Tambah Produk Button

[Dashboard](#) / [donation_detail](#)

Warning: include(G:\xampp\htdocs\ProductDonations\admin\donation_detail.php): failed to open stream: No such file or directory in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176

Warning: include(): Failed opening 'donation_detail.php' for inclusion (include_path='G:\xampp\php\PEAR') in G:\xampp\htdocs\ProductDonations\admin\index.php on line 176

Create **donation_detail.php** and write this code

<?php

```
$id_donasi = isset($_GET['t_donation_id'])?$_GET['t_donation_id']:"";
```

```
$getDonasi = mysqli_query($koneksi, "
```

```
SELECT * FROM t_donation WHERE id = '$id_donasi'
```

```

    ");

    $data = mysqli_fetch_assoc($getDonasi);

?>

<input type="hidden" name="id_donasi" value="<?php echo $data['id']; ?>">

<a href="index.php?page=donation_detail_view&t_donation_id=<?php echo $data['id']; ?>"><button
class="btn btn-primary" style="margin-left: 86.5%; margin-bottom: 1%;">Lihat Detail
Donasi</button></a>

<center>

    <h4><?php echo $data['title']; ?></h4>

    <p><?php echo $data['description']; ?></p>

</center>

<form action="index.php?" method="GET">

    <input type="hidden" name="page" value="donation_detail">

    <input type="hidden" name="t_donation_id" value="<?php echo $data['id'] ?>" />

    <input type="text" name="search" placeholder="Cari Produk..." class="form-control"
autocomplete="off" />

</form>

<div class="row mt-2">

    <?php

        $name_search = isset($_GET['search'])?$_GET['search']:"";

        $getProduk = mysqli_query($koneksi, "

            SELECT * FROM m_products

            WHERE name LIKE '%" . $name_search . "%'

        ");

        while($dataProduk = mysqli_fetch_assoc($getProduk)):

```

```

?>

<div class="col-md-4">

    <div class="card">

        <div class="card-body">

            <center>

                <h4 class="card-title"><?php echo $dataProduk['name']; ?></h4>

                <button onclick="decreaseProduct(this,<?php echo $id_donasi.'.'.$dataProduk['id']; ?>)"
type="button" class="btn btn-primary" id_produk="<?php echo $dataProduk['id']; ?>">

                    <span class="fa fa-minus"></span>

                </button>

                <input id="totalProduk" onchange="editProduct(this,<?php echo
$id_donasi.'.'.$dataProduk['id']; ?>)" data-onload="totalProduct(this,<?php echo
$id_donasi.'.'.$dataProduk['id']; ?>)" type="number" min="1" style="width: 20%;" />

                <button onclick="addProduct(this,<?php echo $id_donasi.'.'.$dataProduk['id']; ?>)"
type="button" class="btn btn-primary" id_produk="<?php echo $dataProduk['id']; ?>">

                    <span class="fa fa-plus"></span>

                </button>

            </center>

        </div>

    </div>

</div> <!-- end col-md-4 -->

<?php endwhile; ?>

</div>

<script>

```



```
// onload, call calculate function
```

```
    $('[data-onload]').each(function(){  
        eval($(this).data('onload'));  
    });
```

```
function totalProduct(elem, id_donasi,id_produk){
```

```
    $.ajax({  
        type: 'POST',  
        url: 'ajax_handler.php',  
        data: "act=get_total_produk_by_id_donasi&id_donasi="+id_donasi+"&id_produk="+id_produk,  
        success: function(response) {  
            $(elem).val(response);  
        }  
    });  
}
```

```
function addProduct(elem, id_donasi,id_produk){
```

```
    $.ajax({  
        type: 'POST',  
        url: 'ajax_handler.php',  
        data: "act=add_total_produk_by_id_donasi&id_donasi="+id_donasi+"&id_produk="+id_produk,  
        success: function(response) {  
            $(elem).prev("#totalProduk").val(response);  
        }  
    });
```

```
}
```

```
function decreaseProduct(elem, id_donasi,id_produk){  
  
    if($(elem).next("#totalProduk").val() > 0){  
  
        $.ajax({  
  
            type: 'POST',  
  
            url: 'ajax_handler.php',  
  
            data:  
"act=decrease_total_produk_by_id_donasi&id_donasi="+id_donasi+"&id_produk="+id_produk,  
  
            success: function(response) {  
  
                $(elem).next("#totalProduk").val(response);  
  
            }  
  
        });  
  
    }else{  
  
        alert("Udah 0 ndro, apalagi yang dikurangi :v");  
  
    }  
  
}
```

```
function editProduct(elem, id_donasi,id_produk){  
  
    $.ajax({  
  
        type: 'POST',  
  
        url: 'ajax_handler.php',  
  
        data:  
"act=edit_total_produk_by_id_donasi&id_donasi="+id_donasi+"&id_produk="+id_produk+"&new_qty=  
"+$(elem).val(),  
  
        success: function(response) {  
  
            $(elem).val(response);  
  
        }  
  
    });  
  
}
```


```
}  
});  
}
```

</script>






Korban Banjir Kendal

Kendal memanggil! Korban banjir butuh bantuan Anda untuk pulih kembali.



When you want to add product as your donation

		
Buku Tulis SINAR DUNIA / SIDU 10x38 Lembar	Whiteboard Magnet SAKANA 90 x 180 cm	Spidol Snowman White Board Maker
<div><div>-</div><div></div><div>+</div></div>	<div><div>-</div><div></div><div>+</div></div>	<div><div>-</div><div></div><div>+</div></div>

Then we need to add **Ajax** to store the product to database depends on quantity we set

Create **ajax_handler.php** and write this file

```
<?php
```

```
include "../config/koneksi.php";
```

```
if(!empty($_POST)){
```

```
    $data = $_POST;
```

```
    $id_donasi = isset($data['id_donasi'])? $data['id_donasi']:"";
```

```
    $id_produk = isset($data['id_produk'])? $data['id_produk']:"";
```

```
    $new_qty = isset($data['new_qty'])? $data['new_qty']:"";
```

```
switch ($data['act']) {
```

```
    case 'get_total_produk_by_id_donasi':
```

```
        echo getCountDataProductByIdDonation($id_donasi,$id_produk);
```

```
        break;
```

```
    case 'add_total_produk_by_id_donasi':
```

```
        echo addDataProductByIdDonation($id_donasi,$id_produk);
```

```
        break;
```

```
    case 'edit_total_produk_by_id_donasi':
```

```
        echo editDataProductByIdDonation($id_donasi,$id_produk,$new_qty);
```

```
        break;
```

```
    case 'decrease_total_produk_by_id_donasi':
```

```
        echo decreaseDataProductByIdDonation($id_donasi,$id_produk);
```

```
        break;
```

```
    default:
```

```

        # code...

        break;
    }
}

```

```

function getCountDataProductByIdDonation($id_donasi,$id_produk){

    GLOBAL $koneksi;

    $getCountData = mysqli_query($koneksi, "

        SELECT qty_need FROM t_donation_needs

        WHERE

            t_donation_id = ".$id_donasi."

            AND

            product_id = ".$id_produk."

    ");

    $totalData = mysqli_fetch_assoc($getCountData);

    $totalData = !empty($totalData['qty_need'])? $totalData['qty_need']:0;

    return $totalData;

}

```

```

function addDataProductByIdDonation($id_donasi,$id_produk){

    GLOBAL $koneksi;

    mysqli_query($koneksi, "

        INSERT INTO t_donation_needs

            (t_donation_id, product_id, qty_need)

        VALUES
    
```

```

        ('$id_donasi', '$id_produk', 1)
ON DUPLICATE KEY UPDATE
        qty_need = qty_need + 1
    ");

    return getCountDataProductByIdDonation($id_donasi,$id_produk);
}

```

```

function decreaseDataProductByIdDonation($id_donasi,$id_produk){
    GLOBAL $koneksi;
    mysqli_query($koneksi, "
        INSERT INTO t_donation_needs
            (t_donation_id, product_id, qty_need)
        VALUES
            ('$id_donasi', '$id_produk', 0)
        ON DUPLICATE KEY UPDATE
            qty_need = qty_need - 1
    ");

    return getCountDataProductByIdDonation($id_donasi,$id_produk);
}

```

```

function editDataProductByIdDonation($id_donasi,$id_produk, $new_qty){
    GLOBAL $koneksi;
    mysqli_query($koneksi, "

```

```

INSERT INTO t_donation_needs
    (t_donation_id, product_id, qty_need)
VALUES
    ('$id_donasi', '$id_produk', 1)
ON DUPLICATE KEY UPDATE
    qty_need = '$new_qty'
");

return getCountDataProductByIdDonation($id_donasi,$id_produk);
}





























```

?>

Ok we've done with donations page

For Gallery's menu, create file **gallery.php** then challenge your self to create form for input gallery 😊

In the end you admin folder structure will be

» xampp » htdocs » ProductDonations » admin				
Name	Date modified	Type	Size	
 user.php	2019-02-15 7:23 PM	PHP File	0 KB	
 index.php	2019-02-15 7:02 PM	PHP File	9 KB	
 donation.php	2019-02-10 7:52 AM	PHP File	7 KB	
 donation_detail.php	2019-02-10 7:50 AM	PHP File	5 KB	
 donation_detail_view.php	2019-02-10 7:50 AM	PHP File	3 KB	
 totaldonation.php	2019-02-10 6:22 AM	PHP File	3 KB	
 ajax_handler.php	2019-02-10 2:55 AM	PHP File	3 KB	
 product.php	2019-02-10 2:47 AM	PHP File	4 KB	
 gallery.php	2019-02-09 5:45 PM	PHP File	1 KB	
 laporan.php	2019-02-09 5:42 PM	PHP File	1 KB	
 login.php	2019-02-09 5:22 PM	PHP File	3 KB	
 .gitignore	2019-01-31 5:45 PM	Text Document	1 KB	
 .travis.yml	2019-01-31 5:45 PM	YML File	1 KB	
 404.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB	
 blank.html	2019-01-31 5:45 PM	Opera Web Docu...	8 KB	
 charts.html	2019-01-31 5:45 PM	Opera Web Docu...	9 KB	
 forgot-password.html	2019-01-31 5:45 PM	Opera Web Docu...	2 KB	
 gulpfile.js	2019-01-31 5:45 PM	JavaScript File	4 KB	
 LICENSE	2019-01-31 5:45 PM	File	2 KB	
 login.html	2019-01-31 5:45 PM	Opera Web Docu...	3 KB	
 package.json	2019-01-31 5:45 PM	JSON File	2 KB	
 package-lock.json	2019-01-31 5:45 PM	JSON File	261 KB	
 README.md	2019-01-31 5:45 PM	MD File	5 KB	
 register.html	2019-01-31 5:45 PM	Opera Web Docu...	4 KB	
 tables.html	2019-01-31 5:45 PM	Opera Web Docu...	25 KB	
 php	2019-02-15 7:07 PM	File folder		
 css	2019-01-31 5:45 PM	File folder		
 js	2019-01-31 5:45 PM	File folder		

I have a good news for you

We are now done with our application!!!

It's been a long time since our first code, but its funny right?

Hope this ebook help you and makes you fun! **Coding Is Fun!** ☺

About The Author



ONESINUS SAUT PARULIAN

Adalah seorang Mahasiswa Teknik Informatika di STIKOM Cipta Karya Informatika , Jakarta.

Dan juga seorang IT Consultant, pernah menjadi IT Support, Programmer PHP, Senior Staff Developer, dan Freelancer.

My Hobbies are sharing what I can share ☺ gaming, also improving self ☺

Wanna get closer?

Email : onesinus231@gmail.com | phone / wa / line : 089626105445

Website : sautonesinus.blogspot.com | onespt.blogspot.com

Youtube: <https://www.youtube.com/channel/UCnta5kRZ7S4RIimfuYN-fWw>

LinkedIn: <https://www.linkedin.com/in/onesinus-spt-1a5653118/>

Bibliography

1. Google.com
2. <https://getbootstrap.com/>
3. <https://jquery.com/>
4. <http://www.php.net/>
5. <https://www.mysql.com/>
6. <https://startbootstrap.com/templates/sb-admin/>